

CODE OF BALTIMORE REGULATIONS ANNOTATED (COBRA) REGISTER



ISSUE DATE: 15 April 2024

ISSUE NUMBER: 04

VOLUME NUMBER: 02

Pursuant to General Provisions Article, § 4-303 of the Baltimore City Code, this issue contains all documents required to be published for this issue date.

Information about the COBRA Register and COBRA

COBRA REGISTER

The COBRA register is an official City publication. The COBRA register acts as a temporary supplement to the Code of Baltimore Regulations Annotated. Any change to the text of regulations published in COBRA must first be published in the COBRA Register.

CODE OF BALTIMORE REGULATIONS ANNOTATED (COBRA)

COBRA is the official compilation of all regulations issued by agencies of the City of Baltimore. The COBRA Register serves as COBRA's temporary supplement, publishing all proposed changes to regulations.

INCORPORATION BY REFERENCE

Incorporation by reference is a legal device by which a document is made part of COBRA by formal reference. The text of the incorporated document will not appear in COBRA, but the provisions of the incorporated document are enforceable as a COBRA regulation. Documents incorporated by reference will appear in the COBRA Register with a notice designating it as a document incorporated by reference.

PUBLIC PARTICIPATION IN THE REGULATION PROCESS

Baltimore City residents may participate in the process by which City regulations are proposed, adopted, amended, or repealed by submitting data or opinions on proposed regulations to the promulgating agency (see "Opportunity for Public Comment" section on the notice page for all proposed regulations contained in the COBRA Register).

ISSUE AND DEADLINE DATES THROUGH DECEMBER 2024[†]

ISSUE DATE	*DEADLINE FOR PROPOSED REGULATION
**January 15, 2024	January 8, 2024
February 15, 2024	February 8, 2024
March 15, 2024	March 8, 2024
April 15, 2024	April 8, 2024
May 15, 2024	May 8, 2024
**June 15, 2024	June 8, 2024
July 15, 2024	July 8, 2024
August 15, 2024	August 8, 2024
**September 15, 2024	September 8, 2024
October 15, 2024	October 8, 2024
November 15, 2024	November 8, 2024
**December 15, 2024	December 8, 2024

[†] Please note that this table is provided for planning purposes only. The Department of Legislative Reference (DLR) cannot guarantee that submissions will be published by an agency's desired publication date. Circumstances related to workload and staffing may prevent adherence to this schedule.

* Please note that the deadlines provided for the submission of a proposed regulation indicates the submission of a regulation in its final form for publication, including all required revisions from DLR and approvals from DLR, the Department of Law, and the Office of the City Administrator.

**For dates when the publication of the COBRA Register would fall over a weekend, the Register will be published the Monday following; for dates when the publication of the COBRA Register would fall on a Federal holiday, the Register will be published the next business day

INDEX OF COBRA TITLES AFFECTED IN THIS ISSUE

COBRA Title Number and Name
14 – Department of Transportation

COBRA Register. Publication of the Department of Legislative Reference, 100 Holliday Street, Suite 626, Baltimore, MD, 21201. Tel. 410-396-4730. **Brandon Scott**, Mayor; **Benjamin Guthorn**, Director, Department of Legislative Reference; **Hanna Naugle**, Legislative Services Analyst and Head of City Regulations; **Anita Evans**, Legislative Reference Librarian; **Andrew Daugherty**, Legislative Services Technician.

TITLE 14
DEPARTMENT OF TRANSPORTATION
Subtitle 01 STANDARD OPERATING PROCEDURES
CHAPTER 01 GENERAL PROVISIONS
14.01.01.01 Documents Incorporated by Reference

Authority: § 4-203, General Provisions Article

Notice of Proposed Action

The Director of the Department of Transportation proposes to amend the Book of Standards (2010) incorporated by reference and re-enact the document as Regulation .01 **DOCUMENTS INCORPORATED BY REFERENCE** under **COBRA 14.01.01**.

Statement of Purpose

The purpose of this action is to:

- (1) Amend the book of Standards incorporated by reference by:
 - a. Revising new construction details BC 576.23 and BC 825.14-02;
 - b. Revising construction details BC 576.17-1, BC 576.17-2, BC 576.18-1, BC 576.18-2, BC 576.19-1, BC 576.19-2, BC 576.20-1, BC 576.20-2, BC 655.11, BC 655.12, BC 655.13, BC 655.21, BC 655.22, BC 655.40, BC 825.01, BC 826.01-1, BC 826.01-2, BC 826.01-1, BC 826.01-2, BC 826.02-1, BC 826.02-2, BC 826.03-1, and BC 826.03-2;
 - c. Replacing construction details:
 - i. BC 825.12 with 825.12-01 and BC825.12-02; and
 - ii. BC 825.14 with 825.14-02; and
 - d. Deleting construction details no longer required for construction in the right-of-way; and
- (2) Re-enact the incorporated document within the Code of Baltimore Regulations Annotated.

A complete list of proposed amendments within the current Book of Standards may be viewed on the Department of Transportation's webpage under "BCDOT Book of Standards."

Opportunity for Public Comment

Comments may be sent to Valorie LaCour, Chief, ADA Compliance Division, 417 East Fayette Street, 5th Floor, or 443-202-5446, or emailed to valorie.lacour@baltimorecity.gov within 30 days of the date of publication of this Register.

CORREN JOHNSON
DIRECTOR, DEPARTMENT OF TRANSPORTATION

TITLE 14 DEPARTMENT OF TRANSPORTATION

Subtitle 01 STANDARD OPERATING PROCEDURES

CHAPTER 01 GENERAL PROVISIONS

14.01.01.01

.01 Documents Incorporated by Reference.

All provisions of the Baltimore City Department of Transportation Book of Standards (2024) are incorporated by reference to this Title.

**CITY OF BALTIMORE
DEPARTMENT OF GENERAL SERVICES
BOOK OF STANDARDS - 2010
TABLE OF CONTENTS**

Category No. 1 - Preliminary

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 103.01	Engineer's Office No. 2 - Trailer	1 of 1
BC 103.02	Engineer's Office No. 3 – Trailer	1 of 1
BC 104.01-1	Guidelines for Temporary Traffic Control	1 of 7
BC 104.01-2	Temporary Traffic Control Plan Preparation and Requirements	2 of 7
BC 104.01-3	Temporary Traffic Control Plan Preparation and Requirements	3 of 7
BC 104.01-4	Sign Spacing, Taper and Buffer Lengths Criteria	4 of 7
BC 104.01-5	Portable Variable Message Sign Placement	5 of 7
BC 104.01-6	Barrier Delineation Barrier 4' or Closer to Edge Line	6 of 7
BC 104.01-7	Barrier Delineation Barrier between 4' and 15' from Edge Line	7 of 7
BC 104.02-2	Shoulder Work / 2-Lane, 2 Way Equal or Less Than 40 mph	1 of 1
BC 104.02-4	Lane Shift Right or Left Side / 2-Lane, 2-Way Equal or Less Than 40 mph / 15 Min. – 12 Hrs. or Daytime Only	1 of 1
BC 104.02-6	Work in Center of Low-Volume Road 2-Lane, 2-Way/Equal/Less Than 40 mph / 15 Min. – 12 Hrs. or Daytime Only	1 of 1
BC 104.02-8	Lane Shift for Complete Travel Way Blockage / 2-Lane, 2-Way Equal/Less Than 40 mph / 15 Min. – 12 Hrs. or Daytime Only	1 of 1
BC 104.02-10	Flagging Operation/2-Lane, 2-Way Equal/Less Than 40 mph	1 of 1
BC 104.02-12	Bypass Detour/2-Lane, 2-Way Equal/Less Than 40 mph/Over 12 Hrs. or Nighttime Use	1 of 1
BC 104.02-14	Intersection Flagging Operation 2-Lane, 2-Way Equal/Less Than 40 mph	1 of 1
BC 104.03-2	Shoulder Work/Multilane Undivided Equal/Less Than 40 mph	1 of 1
BC 104.03-4	Left Lane Closure/Multilane Undivided Equal/Less Than 40 mph	1 of 1
BC 104.03-6	Right Lane Closure/Multilane Undivided Equal/Less Than 40 mph	1 of 1
BC 104.03-8	Partial Roadway Closure/Multilane Undivided Equal/Less Than 40 mph	1 of 1
BC 104.03-10	Intersection Far-Left Lane Closure/Multilane Undivided Equal/Less Than 40 mph	1 of 1
BC 104.03-12	Intersection Far-Right Lane Closure/Multilane Undivided Equal/Less Than 40 mph	1 of 1
BC 104.03-14	Intersection Far-Side Lane Closure/Multilane Undivided Equal/Less Than 40 mph	1 of 1
BC 104.04-2	Shoulder Work / Divided Unconnected Equal/Less Than 40 mph	1 of 1
BC 104.04-4	Left Lane Closure / Divided Unconnected Equal/Less Than 40 mph	1 of 1
BC 104.04-6	Right Lane Closure / Divided Unconnected Equal/Less Than 40 mph	1 of 1
BC 104.04-8	Center Lane Closure / Divided Unconnected Equal/Less Than 40 mph	1 of 1
BC 104.04-12	Roadway Closure / Divided Unconnected Equal/Less Than 40 mph/ 12 Hrs. or Nighttime Use	1 of 1
BC 104.04-14	Left Turn Bay Closure / Divided Unconnected Equal/Less Than 40 mph	1 of 1
BC 104.04-16	Intersection (Left Lane, Turn Bay) Closure / Divided Unconnected Equal/Less Than 40 mph	1 of 1

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 104.05	Precast Temporary 32" F Shape Concrete Traffic Barrier (Pin and Loop Joint)	1 of 2
BC 104.05-1	Precast Temporary 32" F Shape Concrete Traffic Barrier (Pin and Loop Joint)	2 of 2
BC 104.05-2	Shoulder Work/ Exp-Freeway/Equal/Less Than 40 mph	1 of 1
BC 104.05-3	Roadway Shift/ Exp-Freeway/Greater Than 40 mph	1 of 1
BC 104.05-4	Lanes Divide/ Exp-Freeway/Greater Than 40 mph	1 of 1
BC 104.05-5	Lanes Shift/ Exp-Freeway/Greater Than 40 mph/ Over 12 hrs. or Nighttime Use	1 of 1
BC 104.05-6	Lanes Divide/ Exp-Freeway/ Greater Than 40 mph/ Over 12 hrs. or Nighttime Use	1 of 1
BC 104.05-7	Right Lane Closure/ Exp-Freeway Greater Than 40 mph	1 of 1
BC 104.05-8	Left Lane Closure/ Exp-Freeway Greater Than 40 mph	1 of 1
BC 104.05-10	Center Lane Closure/ Exp-Freeway Greater Than 40 mph	1 of 1
BC 104.06-5	Pedestrian and Curb Lane Control/ Multilane Undivided, All Speeds/ Over 12 hrs. or Nighttime Use	1 of 1
BC 104.06-12	Pavement Edge Drop-Off 2.5" or Less (Between Traffic Lanes and Shoulder)	1 of 1
BC 104.10-1	Precast Concrete Barrier (Typical Panel)	1 of 3
BC 104.10-2	Precast Concrete Barrier (Section A-A)	2 of 3
BC 104.10-3	Precast Concrete Barrier Flasher Bracket Details	3 of 3
BC 105.01	Treatment for Abandoned Manholes	1 of 1
BC 111.01	Traffic Control for Work Activity Off The Road	1 of 1
BC 112.01	Traffic Control for Partial Lane Closure	1 of 1
BC 112.02	2 Right (Left) Lanes Closure / Divided Uncontrolled	1 of 1
BC 114.01	Traffic Control for Two-Way Left Turn Lane Closure	1 of 1
BC 115.01	Flagging Control at 3-Leg Intersection (1)	1 of 1
BC 115.02	Flagging Control at 3-Leg Intersection (2)	1 of 1
BC 115.03	Flagging Control at 3-Leg Intersection (3)	1 of 1
BC 115.04	Flagging Control at 3-Leg Intersection (4)	1 of 1
BC 115.05	Flagging Control at 3-Leg Intersection, Far-Side Closure	1 of 1
BC 116.01	Traffic Control for Right Turn Lane Closure	1 of 1
BC 117.01	Pedestrian Control for Sidewalk Bypass	1 of 1
BC 117.01-1	Ped and Curb-Lane Control/Multilane Undiv, Speeds Less Than or Equal to 40 mph/Over 12 Hrs. or Nighttime Use	1 of 4
BC 117.01-2	Ped and Curb-Lane Control/Multilane Undiv, Speeds Less Than or Equal to 40 mph/Over 12 Hrs. or Nighttime Use	2 of 4
BC 117.01-3	Ped and Curb-Lane Control/Multilane Undiv, Speeds Less Than or Equal to 40 mph/Over 12 Hrs. or Nighttime Use	3 of 4
BC 117.01-4	Ped and Curb-Lane Control/Multilane Undiv, Speeds Less Than or Equal to 40 mph/Over 12 Hrs. or Nighttime Use	4 of 4
BC 117.02	Covered Walkway	1 of 1

Category No. 4 - Structures

BC 400.01	Year Built Numerals	1 of 1
BC 400.02	Year Built Numerals	1 of 1
BC 400.03	Year Built Numerals	1 of 1
BC 418.02	Steel 'H' Pile Splice Detail	1 of 1
BC 418.03	Reinforced 'H' Pile Tip Details	1 of 1
BC 418.04	Heavy Duty C.I.P. Concrete Pile Splice	1 of 1
BC 424.91	Bridge Parapet	1 of 1

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 424.92	Bridge Median Barrier	1 of 1
BC 429.01	Cover Plate Details	1 of 1
BC 430.01	Haunch and Steel Stud Details at Top of Beams	1 of 1
BC 431.01	Longitudinal Joint in Bridge Deck	1 of 1
BC 432.01	Stay-In-Place Steel Forms for Concrete Slabs Supported by Steel Beams	1 of 1
BC 437.01	Standard Scupper Type 'C'	1 of 1
BC 437.02	Standard Scupper Type 'D'	1 of 1
BC 437.03	Standard Scupper Grating	1 of 1
BC 440.01	Support Bracket for Bridge Mounted 30'-40' Light Poles on Jersey Barrier	1 of 1
BC 440.03	Bridge Lighting Conduit Details	1 of 1
BC 440.04	Controller Cabinet Support	1 of 1
BC 440.05	Emergency Telephone Support	1 of 1
BC 445.01	Single Cell Modular Compression Seal for Roadway Joints	1 of 1
BC 446.01	Multi-Cell Modular Compression Seal for Roadway Joints	1 of 1
BC 446.02	Multi-Cell Details	1 of 1
BC 447.01	Transflex Compression Seal for Roadway Joints	1 of 1
BC 450.01-1	Bearing Shoe Details Spans Less than Fifty Feet (50') c/c Bearings	1 of 2
BC 450.01-2	Bearing Shoe Details Spans Less than Fifty Feet (50') c/c Bearings	2 of 2
BC 451.01-1	Bearing Shoe Details Spans Fifty Feet (50') To One Hundred and Fifty Feet (150') c/c Bearings	1 of 2
BC 451.01-2	Bearing Shoe Details Spans Fifty Feet (50') To One Hundred and Fifty Feet (150') c/c Bearings	2 of 2
BC 452.01	Bearing Shoe Details Spans Less than One Hundred Fifty Feet (150') c/c Bearings	1 of 1
BC 453.01-1	Bearing Shoe Details Spans Greater Than One Hundred Fifty Feet (150') c/c Bearings	1 of 2
BC 453.01-2	Bearing Shoe Details Spans Greater Than One Hundred Fifty Feet (150') c/c Bearings	2 of 2
BC 454.01-1	Bearing Shoe Details Spans Greater Than One Hundred Fifty Feet (150')) c/c Bearings	1 of 2
BC 454.01-2	Bearing Shoe Details Spans Greater Than One Hundred Fifty Feet (150')) c/c Bearings	2 of 2
BC 460.01-1	Fixed Bearing Short Length Spans (Grade 50 Steel)	1 of 2
BC 460.01-2	Fixed Bearing Short Length Spans (Grade 50 Steel)	2 of 2
BC 461.01-1	Expansion Bearing Short Length Spans (Grade 50 Steel)	1 of 2
BC 461.01-2	Expansion Bearing Short Length Spans (Grade 50 Steel)	2 of 2
BC 462.01-1	Fixed Bearing Medium Length Spans (Grade 50 Steel)	1 of 3
BC 462.01-2	Fixed Bearing Medium Length Spans (Grade 50 Steel)	2 of 3
BC 462.01-3	Fixed Bearing Medium Length Spans (Grade 50 Steel)	3 of 3
BC 463.01-1	Bronze Expansion Bearing Medium Length Spans (Grade 50 Steel)	1 of 3
BC 463.01-2	Bronze Expansion Bearing Medium Length Spans (Grade 50 Steel)	2 of 3
BC 463.01-3	Bronze Expansion Bearing Medium Length Spans (Grade 50 Steel)	3 of 3
BC 470.01	Concrete Barrier Bridge Parapet and Median	1 of 1

Category No. 5 – Paving

BC 500.01	Typical Driveway	1 of 1
BC 500.11	Alley Entrance	1 of 1
BC 500.12	Concrete Alley	1 of 1
BC 500.13-1	Bus Stopping Pad	1 of 2
BC 500.13-2	Bus Stopping Pad	2 of 2

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 500.21	Cul-de-Sac	1 of 1
BC 500.22	Tee Turn-Around	1 of 1
BC 572.01	Placement of Bar Mats Reinforced Concrete Pavement	1 of 1
BC 572.02	Clipped or Welded Bar Mats Reinforced Concrete Pavement	1 of 1
BC 572.03	Hinged Clipped Bar Mat Reinforced Concrete Pavement	1 of 1
BC 572.04	Hinged Clipped Bar Mat Reinforced Concrete Pavement	1 of 1
BC 572.05	Welded Wire Mesh Reinforced Concrete Pavement	1 of 1
BC 572.21	Requirements for Load Transfer Devices Reinf. Concrete Pavement	1 of 1
BC 572.22	Load Transfer Assembly Expansion Joints	1 of 1
BC 572.23	Load Transfer Assembly Contraction Joints	1 of 1
BC 572.24	Load Transfer Assembly Expansion Joints	1 of 1
BC 572.25	Load Transfer Assembly Contraction Joints	1 of 1
BC 572.26	Dowel Weld Load Transfer Assembly Expansion Joints	1 of 1
BC 572.27	Dowel Weld Load Transfer Assembly Contraction Joints	1 of 1
BC 572.41	Dowel Assembly Expansion Joints	1 of 1
BC 572.42	Dowel Assembly Contraction Joints	1 of 1
BC 572.43	Dowel Tube Expansion Joint Assembly	1 of 1
BC 572.44	Dowel Bar Keeper	1 of 1
BC 572.51	Dowel Sleeve Expansion Joint Assembly	1 of 1
BC 572.61-1	Longitudinal Tie Devices	1 of 2
BC 572.61-2	Special Longitudinal Tie Device	2 of 2
BC 572.92-1	Types of Joints Cement Concrete Pavement	1 of 2
BC 572.92-2	Types of Joints Cement Concrete Pavement	2 of 2
BC 576.17-1	Street Cut and Repair - Temporary Steel Plate	1 of 2
BC 576.17-2	Street Cut and Repair Recessed Temporary Steel Plate	2 of 2
BC 576.18-1	Street Cut and Repair - Rigid Pavement	1 of 2
BC 576.18-2	Street Cut and Repair - Rigid Pavement	2 of 2
BC 576.19-1	Street Cut and Repair - Full Depth - Flexible Pavement	1 of 2
BC 576.19-2	Street Cut and Repair - Full Depth - Flexible Pavement	2 of 2
BC 576.20-1	Street Cut and Repair - Flexible Surface - Rigid Base	1 of 2
BC 576.20-2	Street Cut and Repair - Flexible Surface - Rigid Base	2 of 2
BC 576.22-1	Street Cut and Repair - Utility Adjustment Raise 1" to 6"	1 of 3
BC 576.22-2	Street Cut and Repair - Utility Adjustment Lower 2" Max.	2 of 3
BC 576.22-3	Street Cut and Repair - Utility Adjustment Lower 2" to 6"	3 of 3

Category No. 6 – Shoulders

BC 615.01	Standard Hot Mix Asphalt Curb	1 of 1
BC 620.01	Standard Type 'A' Curb-Standard Type 'A' Modified Curb	1 of 1
BC 620.02	BC Type 'A' Curb - BC Type 'A' Modified Curb	1 of 1
BC 620.03	Standard Alley Return Curb	1 of 1
BC 620.04	Standard Mountable 'V' Type Combination Curb and Gutter	1 of 1
BC 620.05	Special Type 'A' Combination Curb and Gutter - Special BC Type 'A' Curb	1 of 1
BC 620.06	Resetting Granite Curb	1 of 1
BC 620.11	Standard Combination Curb and Gutter Type 'A' – Standard Type 'A' Modified	1 of 1
BC 620.12	Special Monolithic - Combination Curb and Gutter	1 of 1
BC 640.01	Standard Curb Opening Detail - Curb Section	1 of 1
BC 640.02	Standard Curb Opening Detail - Curb and Gutter Section	1 of 1
BC 645.01	Monolithic Concrete Median - Type 'A'	1 of 1
BC 645.02	Monolithic Concrete Median - Type 'B'	1 of 1
BC 645.03	Monolithic Concrete Median - Type 'C'	1 of 1
BC 645.04	Std. Monolithic Concrete Median, Type 'A'	1 of 1

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 645.05	Std. Monolithic Concrete Median, Type 'A' Modified	1 of 1
BC 648.01	34 Inch, F Shape Concrete Barrier Single Face, on New Concrete Pavement	1 of 1
BC 648.02	34 Inch, F Shape Concrete Barrier Single Face, on Existing Concrete Pavement	1 of 1
BC 648.03	42 Inch, F Shape Concrete Median Traffic Barrier End Transition	1 of 1
BC 648.04	42 Inch, F Shape Concrete Traffic Barrier Single Face Type 1 (w/Earth Backing In Fill)	1 of 1
BC 648.05	42 Inch, F Shape Concrete Traffic Barrier Single Face Type 2 (Free Standing In Fill)	1 of 1
BC 648.06	42 Inch, F Shape Concrete Median Traffic Barrier	1 of 1
BC 648.07	Diagonal Bar For Slip Formed 34 Inch or 42 Inch F Shape Single Face Concrete Traffic Barrier	1 of 1
BC 648.08	42 Inch F Shape Concrete Median Traffic Barrier Bifurcated 4'-0" to 8'-0"	1 of 1
BC 648.21	34 Inch F Shape Concrete Median Traffic Barrier Double Face	1 of 1
BC 655.01	Sidewalk Expansion Joints	1 of 1
BC 655.05	Typical Section Concrete Sidewalk	1 of 1
BC 655.10	Typical Section Brick Sidewalk	1 of 1
BC 655.11	Sidewalk Ramps Perpendicular	1 of 1
BC 655.12	Sidewalk Ramps Parallel	1 of 1
BC 655.13	Sidewalk Ramps Combination	1 of 1
BC 655.21	Cut-Through Median and Island Openings	1 of 1
BC 655.22	Ramped Median and Island Openings	1 of 1
BC 655.40	Detectable Warning Surfaces	1 of 1
BC 656.01	Concrete Stairsteps and Ornamental Iron Railings	1 of 1
BC 660.01	Traffic Barrier W Beam - General Notes and Details	1 of 1
BC 660.02	Traffic Barrier W Beam - Trail End Anchorage General Notes and Details	1 of 1
BC 660.03	Traffic Barrier W Beam - Splice Joint	1 of 1
BC 660.04	Traffic Barrier W Beam with Wood Offset Block	1 of 1
BC 660.11	Traffic Barrier W Beam - End Treatment Cut to Fill	1 of 1
BC 660.14	Traffic Barrier W Beam - Shoulder Barrier Layout Right Shoulder	1 of 1
BC 660.15	Traffic Barrier W Beam - Shoulder Barrier Treatment at Obstacles	1 of 1
BC 660.16	Traffic Barrier W Beam - Median Barrier Treatment at Obstacles	1 of 1
BC 660.21	Traffic Barrier W Beam at Bridge Approaches Cut	1 of 1
BC 660.22	Traffic Barrier W Beam at Bridge Approaches Embankment 15 feet or Less	1 of 1
BC 660.23	Traffic Barrier Beam at Bridge Approaches Embankment 15 feet or Greater	1 of 1
BC 660.24	Traffic Barrier W Beam with Type A End Anchorage (Single Rail)	1 of 1
BC 660.25	Traffic Barrier W Beam with Type A End Anchorage (Double Rail)	1 of 1
BC 660.26	Traffic Barrier W Beam with Type A End Anchorage (Option 1)	1 of 1
BC 660.27	Traffic Barrier W Beam with Type A End Anchorage (Option 2)	1 of 1
BC 660.28	Type B Traffic Barrier End Treatment	1 of 1
BC 660.29	Type D Traffic Barrier End Treatment	1 of 1
BC 660.31	Traffic Barrier W Beam Approach Flare	1 of 1
BC 660.32	Traffic Barrier W Beam Anchorage Casting	1 of 1
BC 660.41	Traffic Barrier W Beam Anchorage at Structures	1 of 1
BC 660.51	Traffic Barrier W Beam Median Barrier End Treatment	1 of 1
BC 660.52	Traffic Barrier W Beam Median Barrier End Block	1 of 1
BC 660.61	Traffic Barrier W Beam Barricade	1 of 1
BC 662.01-1	Traffic Barrier Box Beam Median Barrier Section 4 - Splice Detail	1 of 2
BC 662.01-2	Traffic Barrier Box Beam Shoulder Barrier Section-Splice Detail	2 of 2
BC 662.02-1	Traffic Barrier Box Beam Shoulder Barrier Typical End Treatment	1 of 2

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 662.02-2	Traffic Barrier Box Beam Shoulder Barrier Typical End Treatment	2 of 2
BC 662.11	Traffic Barrier Box Beam Shoulder Barrier Layout Right Shoulder	1 of 1
BC 662.12	Traffic Barrier Box Beam Shoulder Barrier Treatment at Obstacles	1 of 1
BC 662.13	Traffic Barrier Box Beam Median Barrier Treatment at Obstacles	1 of 1
BC 662.31	Traffic Barrier Box Beam Anchorage at Structure	1 of 1
BC 662.51-1	Traffic Barrier Box Beam Median Barrier - Details for Raised Medians	1 of 2
BC 662.51-2	Traffic Barrier Box Beam Median Barrier - Details for Flush Medians	2 of 2
BC 662.61-1	Traffic Barrier Box Beam Median Barrier – Typical Layout at Bridges	1 of 2
BC 662.61-2	Traffic Barrier Box Beam Median Barrier - Typical End Treatment	2 of 2
BC 690.01-1	Chain-Link Fence with Brace Rails and Fence Treatment at Expansion Joint	1 of 6
BC 690.01-2	Chain-Link fence with Tension Wire Top and Bottom	2 of 6
BC 690.01-3	Fence Gate Detail for Chain-Link Fence	3 of 6
BC 690.01-4	Chain-Link Fence Treatment at Vertical Break in Alignment	4 of 6
BC 690.01-5	Post Mounting Details Chain-Link Fence	5 of 6
BC 690.01-6	Post Mounting Details Chain-Link Fence	6 of 6

Category No. 7 – Roadside Improvements

BC 701.01	Tree Well	1 of 1
BC 701.11	Lightning Protection for Trees	1 of 1
BC 701.22	Root Pruning Detail	1 of 1
BC 701.31	Mulching Shrub Beds and Planting Patterns	1 of 1
BC 701.32	Tree Protection Detail for Determination of Critical Root Zone	1 of 1
BC 701.33	Tree Protection Fence, Plan	1 of 1
BC 701.34	Typical Signage for Tree Preservation Area Sign	1 of 1
BC 701.35	Tree Protection Fence over Concrete or Asphalt, Elevation	1 of 1
BC 701.36	Tree Protection Fence for Grass Areas, Elevation	1 of 1
BC 701.41	Soil Shoulders for Shrub Beds Planted on Slopes	1 of 1
BC 701.51	Wrapping Tree and Grading Tree on Slope	1 of 1
BC 701.61-1	Tree Planting Standards For Site Plan Projects	1 of 4
BC 701.61-2	Tree Planting Standards For Site Plan Projects	2 of 4
BC 701.61-3	Tree Planting Standards For Site Plan Projects	3 of 4
BC 701.61-4	Tree Planting Standards For Site Plan Projects	4 of 4
BC 702.01	General Standard for Tree Planting	1 of 1
BC 702.02	Planting Trees Under 5" Caliper	1 of 1
BC 702.03	Planting Trees 5" Caliper and Over	1 of 1
BC 702.04	Tree Planting Detail for Street Tree in Pit	1 of 1
BC 702.05	Structure Free Zone Garage or Other Cavity Extending Under Sidewalk	1 of 1
BC 702.06	Mulch Detail For Trees	1 of 1
BC 702.07	Shrub and Ground Cover Planting Detail	1 of 1
BC 704.01	Tree Pit Paving Detail: Granite or Concrete Block For Use in High Traffic Areas Only	1 of 1
BC 704.02	Pavers Over Tree Pit	1 of 1
BC 704.03	Tree Pit Drainage Details	1 of 1
BC 704.04	Continuous Soil Panel Under Sidewalk	1 of 1
BC 704.05	Continuous Planting Strip	1 of 1
BC 705.01	Root Paths Perspective	1 of 1
BC 705.02	Root Paths Details	1 of 1
BC 706.01	Tree Pit Guard	1 of 1
BC 706.02	Expandable Tree Grate and Frame Details	1 of 1
BC 710.01-1	Fastener for Tree Staking	1 of 5
BC 710.01-2	Deciduous Trees Transplanted by Tree Spade	2 of 5
BC 710.01-3	Staking 3" to 4" Deciduous Trees and 10' to 12' Evergreen Trees	3 of 5

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 710.01-4	Staking Minor and Evergreen Trees to 10' Height	4 of 5
BC 710.01-5	Staking Trees under 5" Caliper	5 of 5
BC 710.11	Planting Small Planting Stock	1 of 1
BC 710.21	Rest Area Parking for Handicapped	1 of 1
BC 710.31-1	Planting Trees over 5" Caliper Transplanted by Machine	1 of 2
BC 710.31-2	Guying Trees Over 4" Caliper	2 of 2
BC 711.01-1	Modified Tree Pit with Tree Root Barrier	1 of 2
BC 711.01-2	Modified Tree Pit (Section A-A)	2 of 2
BC 712.01-1	Specification for Root Control	1 of 2
BC 712.01-2	Specification for Root Control (Cont.)	2 of 2

Category No. 8 Utilities/Lighting

BC 801.01	Roadway Pedestal Base for Light Poles – Augured	1 of 1
BC 801.02	Roadway Pedestal Base for Light Poles – Square	1 of 1
BC 801.03	Foundation Base for Light poles - Steel Sub-Base	1 of 1
BC 801.04	Roadway Foundation Base for Light Poles - Free Standing Type	1 of 1
BC 801.05	Roadway Pedestal Base for Inner Harbor Type Light Poles	1 of 1
BC 801.07	Bolton Hill, Fells Point and Otterbein Base	1 of 1
BC 802.01-1	Conduit Expansion Coupling Parapet	1 of 2
BC 802.01-2	Conduit Expansion Joint for Suspended Electrical Duct	2 of 2
BC 802.02	Junction Boxes and Pull Boxes	1 of 1
BC 802.03-1	Conduit Square Bore Adapter	1 of 4
BC 802.03-2	Conduit Square Bore Adapter	2 of 4
BC 802.03-3	Duct Plugs, Bell Ends and Terminators	3 of 4
BC 802.03-4	Split Duct	4 of 4
BC 802.04-1	5" PVC, Plastic Utility Duct on Bridge Hanger Supports	1 of 6
BC 802.04-2	5" PVC, Plastic Utility Duct on Bridge Hanger Supports	2 of 6
BC 802.04-3	5" PVC, Plastic Utility Duct on Bridge Hanger Supports	3 of 6
BC 802.04-4	5" PVC Duct on Bridges – Back to Back Expansion Joint Installation	4 of 6
BC 802.04-5	5" PVC Duct on Bridges – Back to Back Expansion Joint Installation	5 of 6
BC 802.04-6	5" PVC, Plastic Utility Duct on Bridge Stop Ring Installation and Duct Termination	6 of 6
BC 803.01-1	Conduit Sections in Casing Pipe	1 of 5
BC 803.01-2	Conduit Sections in Casing Pipe	2 of 5
BC 803.01-3	Conduit Sections in Casing Pipe	3 of 5
BC 803.01-4	Conduit Sections in Casing Pipe	4 of 5
BC 803.01-5	Conduit Sections in Casing Pipe	5 of 5
BC 804.01	Handbox - Conduit Typical Installation	1 of 1
BC 804.02	Handbox - Conduit Standard Concrete Base	1 of 1
BC 804.03	Handbox - Conduit Standard Frame	1 of 1
BC 804.04	Handbox - Conduit Standard Cover	1 of 1
BC 804.05	Handbox - Conduit Standard Cover - Details 'A' and 'B'	1 of 1
BC 804.06	Handbox - Conduit Standard Cover - Detail 'C'	1 of 1
BC 804.07	Handbox - Conduit Standard Cover - Details 'D' and 'E'	1 of 1
BC 804.08	Handbox - Conduit Standard Cover - Locking Bolt and Surface Design Details	1 of 1
BC 804.09	Standard Handbox Cover – DTT	1 of 1
BC 804.10	Meter Cabinet for Electrical Service	1 of 1
BC 804.11	Roadway Lighting Distribution Panel Schematic Diagram 480Y/277 – Unmetered	1 of 1
BC 808.01	Typical Light Standard - 25 Foot AW Pole	1 of 1
BC 808.02-1	Typical Light Standard - 30 Foot AW Pole	1 of 2
BC 808.02-2	Typical Light Standard - 30 Foot AW Pole on Transformer Base	2 of 2

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 808.03	Typical Light Standard - Steel Pole Dimensions	1 of 1
BC 808.04	Typical Pole Arms for 25' & 30' Poles	1 of 1
BC 808.05	Combination Pole for Light Standard and Traffic Signals	1 of 1
BC 808.06	11' – 6" Lighting Standard for Residential Streets	1 of 1
BC 808.07	Lighting Standard Miscellaneous Details	1 of 1
BC 808.08	Standard Anchor Bolts	1 of 1
BC 808.09	Typical Installation of Light Standard on Bridge Parapet Adjacent to Sidewalk	1 of 1
BC 808.10-1	Typical Installation of Light Standard on Bridge Parapet Adjacent to Roadway	1 of 2
BC 808.10-2	Typical Installation of Light Standard on Bridge Parapet Adjacent to Roadway	2 of 2
BC 808.11	Lighting Accessories Plumizer Attachment and Parts	1 of 1
BC 808.12	Lighting Accessories Ballast Plate and Shims	1 of 1
BC 808.13	Bridge Lighting Conduit Details	1 of 1
BC 808.14	Detail of Aluminum Pole and Arm Plate Construction	1 of 1
BC 808.15-1	Base Plate for 11'-6", 25' & 30' Poles, Detail of Bolt Cover	1 of 2
BC 808.15-2	Base Plate for 11'-6", 25' & 30' Poles, Detail of Bolt Cover	2 of 2
BC 808.16	Decorative Pole and Tenon	1 of 1
BC 808.17-1	32' Square Tapered Pole	1 of 2
BC 808.17-2	32' Square Tapered Pole - Base Cover	2 of 2
BC 818.13	Typical Transformer Bases	1 of 1
BC 823.01	Underpass Luminaire Type I Luminaire Mounting Concrete Structure	1 of 1
BC 823.02	Underpass Luminaire Type II Luminaire Mounting Steel Structure	1 of 1
BC 823.03	Underpass Luminaire Type III Luminaire Mounting – Wall, Pier or Abutment	1 of 1
BC 824.01-1	Standard Duct Sections	1 of 2
BC 824.01-2	Standard Conduit Cross-Sections	2 of 2
BC 824.02-1	Plastic Utility Duct PVC (Poly Vinyl Chloride) General Information	1 of 2
BC 824.02-2	Plastic PVC Duct Spacers General Information	2 of 2
BC 824.05	Conduit Pole Connection, Single, Double and Triple	1 of 1
BC 824.06	Duct Entrance into Manhole	1 of 1
BC 824.07	Duct Reinforcement at Railroad Crossing	1 of 1
BC 824.08	Reinforcing Slab for Shallow Electric Duct	1 of 1
BC 824.09	Duct Typical Section 8-5", 4-3" and 2-4"	1 of 1
BC 824.10	Duct Transition to Precast Recessed Extension	1 of 1
BC 825.01	Steel Details for 6 Foot by 12 Foot Line Manhole	1 of 1
BC 825.02-1	Details for 6 Foot by 12 Foot Poured in Place Line Manhole	1 of 2
BC 825.02-2	Details for 6 Foot by 12 Foot Poured in Place Line Manhole	2 of 2
BC 825.04	Braced Cofferdam for Poured in Place Manhole	1 of 1
BC 825.05	Steel Details for 6 Foot by 12 Foot Transformer Manhole	1 of 1
BC 825.06-1	Details for 6 Foot by 12 Foot Poured in Place Transformer Manhole	1 of 2
BC 825.06-2	Details for 6 Foot by 12 Foot Poured in Place Transformer Manhole	2 of 2
BC 825.07-1	4'-0" x 4'-0" x 4'-0" Manhole – Conduit	1 of 3
BC 825.07-2	4'-0" x 4'-0" x 4'-0" Manhole – Conduit	2 of 3
BC 825.07-3	4'-0" x 4'-0" x 4'-0" Manhole – Conduit	3 of 3
BC 825.08-1	Excavation and Shoring for Precast Manholes	1 of 2
BC 825.08-2	Excavation and Shoring for Precast Manholes	2 of 2
BC 825.09-1	Poured in Place Manhole – 6'x8'	1 of 2
BC 825.09-2	Poured in Place Manhole – 6'x8'	2 of 2
BC 825.10	Soldier Pile Bracing for Precast Manhole	1 of 1
BC 825.11	Manhole - Conduit Standard Installation	1 of 1

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 825.12	Manhole - Conduit Standard Cover	1 of 1
BC 825.13	Manhole - Conduit Standard Frame	1 of 1
BC 825.14	Manhole - Conduit Standard Cover – DTT	1 of 1
BC 825.15-1	6'x17'-6"x9' Precast Network Transformer Manhole - Details	1 of 5
BC 825.15-2	6'x17'-6"x9' Precast Network Transformer Manhole – Details	2 of 5
BC 825.15-3	6'x17'-6"x9' Precast Network Transformer Manhole – Details	3 of 5
BC 825.15-4	6'x17'-6"x9' Precast Network Transformer Manhole – Details	4 of 5
BC 825.15-5	6'x17'-6"x9' Precast Network Transformer Manhole – Details	5 of 5
BC 826.01-1	Precast Line Manhole - 6'x12'x7' Headroom Top Half	1 of 2
BC 826.01-2	Precast Line Manhole - 6'x12'x7' Headroom Bottom Half	2 of 2
BC 826.02-1	Precast Line Manhole - 6'x12'x8' Headroom Top Half	1 of 2
BC 826.02-2	Precast Line Manhole - 6'x12'x8' Headroom Bottom Half	2 of 2
BC 826.03-1	Precast Line Manhole - 6'x12'x9' Headroom Top Half	1 of 2
BC 826.03-2	Precast Line Manhole - 6'x12'x9' Headroom Bottom Half	2 of 2
BC 826.04	Precast Line Manhole - 6'x12'x7' - 8' -9' HR Bar Schedule	1 of 1
BC 826.05	End and Side Knockout Details - Precast Manhole	1 of 1
BC 826.06	Insert Details for Recessed Extension - Precast Manhole	1 of 1
BC 826.07-1	Precast Recessed Extension	1 of 2
BC 826.07-2	Precast Recessed Extension - Manhole Adjustments	2 of 2
BC 826.08	Accessories for Precast Manholes	1 of 1
BC 826.09	Cast-In-Place Recessed Wall Extension	1 of 1
BC 827.01-1	Precast Manhole 6'x8'x7' Headroom Top Half	1 of 2
BC 827.01-2	Precast Manhole 6'x8'x7' Headroom Bottom Half	2 of 2
BC 827.02-1	Precast Manhole 6'x8'x8' Headroom Top Half	1 of 2
BC 827.02-2	Precast Manhole 6'x8'x8' Headroom Bottom Half	2 of 2
BC 827.03	Precast Manhole 6'x8'x7'-8' HR Bar Schedule	1 of 1
BC 830.01-1	Duct Identification	1 of 6
BC 830.01-2	Duct Identification	2 of 6
BC 830.01-3	Duct Identification	3 of 6
BC 830.01-4	Duct Identification	4 of 6
BC 830.01-5	Duct Identification	5 of 6
BC 830.01-6	Duct Identification	6 of 6
BC 830.02	Conduit Transposition	1 of 1

Category No. 8 Utilities/Signals

BC 880.01	Steel Strain Pole	1 of 1
BC 880.02	Heavy Duty Steel Strain Pole	1 of 1
BC 880.03	Joint Use Steel Strain Pole	1 of 1
BC 880.04	Heavy Duty Joint Use Steel Strain Pole	1 of 1
BC 880.05-1	Multi-Purpose Pole	1 of 2
BC 880.05-2	Multi-Purpose Pole	2 of 2
BC 880.06-1	Galvanized Steel Mast Arm Pole	1 of 3
BC 880.06-2	Galvanized Steel Mast Arm Pole	2 of 3
BC 880.06-3	Galvanized Steel Mast Arm Pole	3 of 3
BC 880.07	Push Button Post	1 of 1
BC 880.08	Steel Pedestal Pole	1 of 1
BC 880.09-1	Inner Harbor Type Square Steel Poles & Mast Arms	1 of 4
BC 880.09-2	Inner Harbor Type Square Steel Poles & Mast Arms	2 of 4
BC 880.09-3	Inner Harbor Type Square Steel Poles & Mast Arms	3 of 4
BC 880.09-4	Inner Harbor Type Square Steel Poles & Mast Arms	4 of 4
BC 880.10	Inner Harbor Type Square Pedestal Pole	1 of 1
BC 887.01	Pole, Post and Pedestal Foundation Details – Traffic	1 of 1

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 887.02	Standard Anchor Bolts – Traffic	1 of 1
BC 890.01	Category (C) Controller Cabinet Foundation Base	1 of 1
BC 890.02	Type 332 And Category (E) Controller Cabinet Foundation Base	1 of 1
BC 890.10	Type 336S Cabinet Base Adapter	1 of 1
BC 890.11	Push Button Sign	1 of 1
BC 890.12	Cabinet Mounting Bracket – Traffic	1 of 1
BC 891.01	Existing Ductbank Support System	1 of 1
BC 892.01-1	Adapting Plastic Duct to Other Duct Materials	1 of 10
BC 892.01-2	Adapting Plastic Duct to Other Duct Materials	2 of 10
BC 892.01-3	Adapting Plastic Duct to Other Duct Materials	3 of 10
BC 892.01-4	Adapting Plastic Duct to Other Duct Materials	4 of 10
BC 892.01-5	Adapting Plastic Duct to Other Duct Materials	5 of 10
BC 892.01-6	Adapting Plastic Duct to Other Duct Materials	6 of 10
BC 892.01-7	Adapting Plastic Duct to Other Duct Materials	7 of 10
BC 892.01-8	Adapting Plastic Duct to Other Duct Materials	8 of 10
BC 892.01-9	Adapting Plastic Duct to Other Duct Materials	9 of 10
BC 892.01-10	Adapting Plastic Duct to Other Duct Materials	10 of 10
BC 893.01-1	Tree Root Barrier for Tree Pits	1 of 4
BC 893.01-2	Tree Root Barrier for Tree Pits	2 of 4
BC 893.01-3	Tree Root Barrier for Tree Pits	3 of 4
BC 893.01-4	Tree Root Barrier for Tree Pits	4 of 4

CITY OF BALTIMORE
DEPARTMENT OF GENERAL SERVICES
BOOK OF STANDARDS - 2010
TABLE OF CONTENTS
Revisions Effective _____

Category No. 1 - Preliminary

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 103.01	Engineer's Office No. 2 - Trailer	1 of 1
BC 103.02	Engineer's Office No. 3 – Trailer	1 of 1
BC 104.01-1	Guidelines for Temporary Traffic Control	1 of 7
BC 104.01-2	Temporary Traffic Control Plan Preparation and Requirements	2 of 7
BC 104.01-3	Temporary Traffic Control Plan Preparation and Requirements	3 of 7
BC 104.01-4	Sign Spacing, Taper and Buffer Lengths Criteria	4 of 7
BC 104.01-5	Portable Variable Message Sign Placement	5 of 7
BC 104.01-6	Barrier Delineation Barrier 4' or Closer to Edge Line	6 of 7
BC 104.01-7	Barrier Delineation Barrier between 4' and 15' from Edge Line	7 of 7
BC 104.02-2	Shoulder Work / 2-Lane, 2 Way Equal or Less Than 40 mph	1 of 1
BC 104.02-4	Lane Shift Right or Left Side / 2-Lane, 2-Way Equal or Less Than 40 mph / 15 Min. – 12 Hrs. or Daytime Only	1 of 1
BC 104.02-6	Work in Center of Low-Volume Road 2-Lane, 2-Way/Equal/Less Than 40 mph / 15 Min. – 12 Hrs. or Daytime Only	1 of 1
BC 104.02-8	Lane Shift for Complete Travel Way Blockage / 2-Lane, 2-Way Equal/Less Than 40 mph / 15 Min. – 12 Hrs. or Daytime Only	1 of 1
BC 104.02-10	Flagging Operation/2-Lane, 2-Way Equal/Less Than 40 mph	1 of 1
BC 104.02-12	Bypass Detour/2-Lane, 2-Way Equal/Less Than 40 mph/Over 12 Hrs. or Nighttime Use	1 of 1
BC 104.02-14	Intersection Flagging Operation 2-Lane, 2-Way Equal/Less Than 40 mph	1 of 1
BC 104.03-2	Shoulder Work/Multilane Undivided Equal/Less Than 40 mph	1 of 1
BC 104.03-4	Left Lane Closure/Multilane Undivided Equal/Less Than 40 mph	1 of 1
BC 104.03-6	Right Lane Closure/Multilane Undivided Equal/Less Than 40 mph	1 of 1
BC 104.03-8	Partial Roadway Closure/Multilane Undivided Equal/Less Than 40 mph	1 of 1
BC 104.03-10	Intersection Far-Left Lane Closure/Multilane Undivided Equal/Less Than 40 mph	1 of 1
BC 104.03-12	Intersection Far-Right Lane Closure/Multilane Undivided Equal/Less Than 40 mph	1 of 1
BC 104.03-14	Intersection Far-Side Lane Closure/Multilane Undivided Equal/Less Than 40 mph	1 of 1
BC 104.04-2	Shoulder Work / Divided Unconnected Equal/Less Than 40 mph	1 of 1
BC 104.04-4	Left Lane Closure / Divided Unconnected Equal/Less Than 40 mph	1 of 1
BC 104.04-6	Right Lane Closure / Divided Unconnected Equal/Less Than 40 mph	1 of 1
BC 104.04-8	Center Lane Closure / Divided Unconnected Equal/Less Than 40 mph	1 of 1
BC 104.04-12	Roadway Closure / Divided Unconnected Equal/Less Than 40 mph/ 12 Hrs. or Nighttime Use	1 of 1
BC 104.04-14	Left Turn Bay Closure / Divided Unconnected Equal/Less Than 40 mph	1 of 1
BC 104.04-16	Intersection (Left Lane, Turn Bay) Closure / Divided Unconnected	

Equal/Less Than 40 mph 1 of 1

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 104.05	Precast Temporary 32" F Shape Concrete Traffic Barrier (Pin and Loop Joint)	1 of 2
BC 104.05-1	Precast Temporary 32" F Shape Concrete Traffic Barrier (Pin and Loop Joint)	2 of 2
BC 104.05-2	Shoulder Work/ Exp-Freeway/Equal/Less Than 40 mph	1 of 1
BC 104.05-3	Roadway Shift/ Exp-Freeway/Greater Than 40 mph	1 of 1
BC 104.05-4	Lanes Divide/ Exp-Freeway/Greater Than 40 mph	1 of 1
BC 104.05-5	Lanes Shift/ Exp-Freeway/Greater Than 40 mph/ Over 12 hrs. or Nighttime Use	1 of 1
BC 104.05-6	Lanes Divide/ Exp-Freeway/ Greater Than 40 mph/ Over 12 hrs. or Nighttime Use	1 of 1
BC 104.05-7	Right Lane Closure/ Exp-Freeway Greater Than 40 mph	1 of 1
BC 104.05-8	Left Lane Closure/ Exp-Freeway Greater Than 40 mph	1 of 1
BC 104.05-10	Center Lane Closure/ Exp-Freeway Greater Than 40 mph	1 of 1
BC 104.06-5	Pedestrian and Curb Lane Control/ Multilane Undivided, All Speeds/ Over 12 hrs. or Nighttime Use	1 of 1
BC 104.06-12	Pavement Edge Drop-Off 2.5" or Less (Between Traffic Lanes and Shoulder)	1 of 1
BC 104.10-1	Precast Concrete Barrier (Typical Panel)	1 of 3
BC 104.10-2	Precast Concrete Barrier (Section A-A)	2 of 3
BC 104.10-3	Precast Concrete Barrier Flasher Bracket Details	3 of 3
BC 105.01	Treatment for Abandoned Manholes	1 of 1
BC 111.01	Traffic Control for Work Activity Off The Road	1 of 1
BC 112.01	Traffic Control for Partial Lane Closure	1 of 1
BC 112.02	2 Right (Left) Lanes Closure / Divided Uncontrolled	1 of 1
BC 114.01	Traffic Control for Two-Way Left Turn Lane Closure	1 of 1
BC 115.01	Flagging Control at 3-Leg Intersection (1)	1 of 1
BC 115.02	Flagging Control at 3-Leg Intersection (2)	1 of 1
BC 115.03	Flagging Control at 3-Leg Intersection (3)	1 of 1
BC 115.04	Flagging Control at 3-Leg Intersection (4)	1 of 1
BC 115.05	Flagging Control at 3-Leg Intersection, Far-Side Closure	1 of 1
BC 116.01	Traffic Control for Right Turn Lane Closure	1 of 1
BC 117.01	Pedestrian Control for Sidewalk Bypass	1 of 1
BC 117.01-1	Ped and Curb-Lane Control/Multilane Undiv, Speeds Less Than or Equal to 40 mph/Over 12 Hrs. or Nighttime Use	1 of 4
BC 117.01-2	Ped and Curb-Lane Control/Multilane Undiv, Speeds Less Than or Equal to 40 mph/Over 12 Hrs. or Nighttime Use	2 of 4
BC 117.01-3	Ped and Curb-Lane Control/Multilane Undiv, Speeds Less Than or Equal to 40 mph/Over 12 Hrs. or Nighttime Use	3 of 4
BC 117.01-4	Ped and Curb-Lane Control/Multilane Undiv, Speeds Less Than or Equal to 40 mph/Over 12 Hrs. or Nighttime Use	4 of 4
BC 117.02	Covered Walkway	1 of 1

Category No. 4 - Structures

BC 400.01	Year Built Numerals	1 of 1
BC 400.02	Year Built Numerals	1 of 1
BC 400.03	Year Built Numerals	1 of 1
BC 418.02	Steel 'H' Pile Splice Detail	1 of 1
BC 418.03	Reinforced 'H' Pile Tip Details	1 of 1
BC 418.04	Heavy Duty C.I.P. Concrete Pile Splice	1 of 1
BC 424.91	Bridge Parapet	1 of 1

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 424.92	Bridge Median Barrier	1 of 1
BC 429.01	Cover Plate Details	1 of 1
BC 430.01	Haunch and Steel Stud Details at Top of Beams	1 of 1
BC 431.01	Longitudinal Joint in Bridge Deck	1 of 1
BC 432.01	Stay-In-Place Steel Forms for Concrete Slabs Supported by Steel Beams	1 of 1
BC 437.01	Standard Scupper Type 'C'	1 of 1
BC 437.02	Standard Scupper Type 'D'	1 of 1
BC 437.03	Standard Scupper Grating	1 of 1
BC 440.01	Support Bracket for Bridge Mounted 30'-40' Light Poles on Jersey Barrier	1 of 1
BC 440.03	Bridge Lighting Conduit Details	1 of 1
BC 440.04	Controller Cabinet Support	1 of 1
BC 440.05	Emergency Telephone Support	1 of 1
BC 445.01	Single Cell Modular Compression Seal for Roadway Joints	1 of 1
BC 446.01	Multi-Cell Modular Compression Seal for Roadway Joints	1 of 1
BC 446.02	Multi-Cell Details	1 of 1
BC 447.01	Transflex Compression Seal for Roadway Joints	1 of 1
BC 450.01-1	Bearing Shoe Details Spans Less than Fifty Feet (50') c/c Bearings	1 of 2
BC 450.01-2	Bearing Shoe Details Spans Less than Fifty Feet (50') c/c Bearings	2 of 2
BC 451.01-1	Bearing Shoe Details Spans Fifty Feet (50') To One Hundred and Fifty Feet (150') c/c Bearings	1 of 2
BC 451.01-2	Bearing Shoe Details Spans Fifty Feet (50') To One Hundred and Fifty Feet (150') c/c Bearings	2 of 2
BC 452.01	Bearing Shoe Details Spans Less than One Hundred Fifty Feet (150') c/c Bearings	1 of 1
BC 453.01-1	Bearing Shoe Details Spans Greater Than One Hundred Fifty Feet (150') c/c Bearings	1 of 2
BC 453.01-2	Bearing Shoe Details Spans Greater Than One Hundred Fifty Feet (150') c/c Bearings	2 of 2
BC 454.01-1	Bearing Shoe Details Spans Greater Than One Hundred Fifty Feet (150')) c/c Bearings	1 of 2
BC 454.01-2	Bearing Shoe Details Spans Greater Than One Hundred Fifty Feet (150')) c/c Bearings	2 of 2
BC 460.01-1	Fixed Bearing Short Length Spans (Grade 50 Steel)	1 of 2
BC 460.01-2	Fixed Bearing Short Length Spans (Grade 50 Steel)	2 of 2
BC 461.01-1	Expansion Bearing Short Length Spans (Grade 50 Steel)	1 of 2
BC 461.01-2	Expansion Bearing Short Length Spans (Grade 50 Steel)	2 of 2
BC 462.01-1	Fixed Bearing Medium Length Spans (Grade 50 Steel)	1 of 3
BC 462.01-2	Fixed Bearing Medium Length Spans (Grade 50 Steel)	2 of 3
BC 462.01-3	Fixed Bearing Medium Length Spans (Grade 50 Steel)	3 of 3
BC 463.01-1	Bronze Expansion Bearing Medium Length Spans (Grade 50 Steel)	1 of 3
BC 463.01-2	Bronze Expansion Bearing Medium Length Spans (Grade 50 Steel)	2 of 3
BC 463.01-3	Bronze Expansion Bearing Medium Length Spans (Grade 50 Steel)	3 of 3
BC 470.01	Concrete Barrier Bridge Parapet and Median	1 of 1

Category No. 5 – Paving

BC 500.01	Typical Driveway	1 of 1
BC 500.11	Alley Entrance	1 of 1
BC 500.12	Concrete Alley	1 of 1
BC 500.13-1	Bus Stopping Pad	1 of 2

<u>BC 500.13-2 Std. No.</u>	<u>Bus Stopping Pad</u>	<u>Description</u>	<u>2 of 2 Sheet No.</u>
BC 500.21	Cul-de-Sac		1 of 1
BC 500.22	Tee Turn-Around		1 of 1
BC 572.01	Placement of Bar Mats Reinforced Concrete Pavement		1 of 1
BC 572.02	Clipped or Welded Bar Mats Reinforced Concrete Pavement		1 of 1
BC 572.03	Hinged Clipped Bar Mat Reinforced Concrete Pavement		1 of 1
BC 572.04	Hinged Clipped Bar Mat Reinforced Concrete Pavement		1 of 1
BC 572.05	Welded Wire Mesh Reinforced Concrete Pavement		1 of 1
BC 572.21	Requirements for Load Transfer Devices Reinf. Concrete Pavement		1 of 1
BC 572.22	Load Transfer Assembly Expansion Joints		1 of 1
BC 572.23	Load Transfer Assembly Contraction Joints		1 of 1
BC 572.24	Load Transfer Assembly Expansion Joints		1 of 1
BC 572.25	Load Transfer Assembly Contraction Joints		1 of 1
BC 572.26	Dowel Weld Load Transfer Assembly Expansion Joints		1 of 1
BC 572.27	Dowel Weld Load Transfer Assembly Contraction Joints		1 of 1
BC 572.41	Dowel Assembly Expansion Joints		1 of 1
BC 572.42	Dowel Assembly Contraction Joints		1 of 1
BC 572.43	Dowel Tube Expansion Joint Assembly		1 of 1
BC 572.44	Dowel Bar Keeper		1 of 1
BC 572.51	Dowel Sleeve Expansion Joint Assembly		1 of 1
BC 572.61-1	Longitudinal Tie Devices		1 of 2
BC 572.61-2	Special Longitudinal Tie Device		2 of 2
BC 572.92-1	Types of Joints Cement Concrete Pavement		1 of 2
BC 572.92-2	Types of Joints Cement Concrete Pavement		2 of 2
BC 576.17-1	Street Cut and Repair - Temporary Steel Plate		1 of 2 (Revised)
BC 576.17-2	Street Cut and Repair Recessed Temporary Steel Plate		2 of 2 (Revised)
BC 576.18-1	Street Cut and Repair - Rigid Pavement		1 of 2 (Revised)
BC 576.18-2	Street Cut and Repair - Rigid Pavement		2 of 2 (Revised)
BC 576.19-1	Street Cut and Repair - Full Depth - Flexible Pavement		1 of 2 Revised)
BC 576.19-2	Street Cut and Repair - Full Depth - Flexible Pavement		2 of 2 (Revised)
BC 576.20-1	Street Cut and Repair - Flexible Surface - Rigid Base		1 of 2 (Revised)
BC 576.20-2	Street Cut and Repair - Flexible Surface - Rigid Base		2 of 2 (Revised)
BC 576.22-1	Street Cut and Repair - Utility Adjustment Raise 1" to 6"		1 of 3
BC 576.22-2	Street Cut and Repair - Utility Adjustment Lower 2" Max.		2 of 3
BC 576.22-3	Street Cut and Repair - Utility Adjustment Lower 2" to 6"		3 of 3
BC 576.23	Sealing Soil Boring & Utility Test Holes		1 of 1 (New)

Category No. 6 – Shoulders

BC 615.01	Standard Hot Mix Asphalt Curb		1 of 1
BC 620.01	Standard Type 'A' Curb-Standard Type 'A' Modified Curb		1 of 1
BC 620.02	BC Type 'A' Curb - BC Type 'A' Modified Curb		1 of 1
BC 620.03	Standard Alley Return Curb		1 of 1
BC 620.04	Standard Mountable 'V' Type Combination Curb and Gutter		1 of 1
BC 620.05	Special Type 'A' Combination Curb and Gutter - Special BC Type 'A' Curb		1 of 1
BC 620.06	Resetting Granite Curb		1 of 1
BC 620.11	Standard Combination Curb and Gutter Type 'A' – Standard Type 'A' Modified		1 of 1
BC 620.12	Special Monolithic - Combination Curb and Gutter		1 of 1
BC 640.01	Standard Curb Opening Detail - Curb Section		1 of 1
BC 640.02	Standard Curb Opening Detail - Curb and Gutter Section		1 of 1
BC 645.01	Monolithic Concrete Median - Type 'A'		1 of 1
BC 645.02	Monolithic Concrete Median - Type 'B'		1 of 1
BC 645.03	Monolithic Concrete Median - Type 'C'		1 of 1

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 645.04	Std. Monolithic Concrete Median, Type 'A'	1 of 1
BC 645.05	Std. Monolithic Concrete Median, Type 'A' Modified	1 of 1
BC 648.01	34 Inch, F Shape Concrete Barrier Single Face, on New Concrete Pavement	1 of 1
BC 648.02	34 Inch, F Shape Concrete Barrier Single Face, on Existing Concrete Pavement	1 of 1
BC 648.03	42 Inch, F Shape Concrete Median Traffic Barrier End Transition	1 of 1
BC 648.04	42 Inch, F Shape Concrete Traffic Barrier Single Face Type 1 (w/Earth Backing In Fill)	1 of 1
BC 648.05	42 Inch, F Shape Concrete Traffic Barrier Single Face Type 2 (Free Standing In Fill)	1 of 1
BC 648.06	42 Inch, F Shape Concrete Median Traffic Barrier	1 of 1
BC 648.07	Diagonal Bar For Slip Formed 34 Inch or 42 Inch F Shape Single Face Concrete Traffic Barrier	1 of 1
BC 648.08	42 Inch F Shape Concrete Median Traffic Barrier Bifurcated 4'-0" to 8'-0"	1 of 1
BC 648.21	34 Inch F Shape Concrete Median Traffic Barrier Double Face	1 of 1
BC 655.01	Sidewalk Expansion Joints	1 of 1
BC 655.05	Typical Section Concrete Sidewalk	1 of 1
BC 655.10	Typical Section Brick Sidewalk	1 of 1
BC 655.11	Sidewalk Ramps Perpendicular	1 of 1 (Revised)
BC 655.12	Sidewalk Ramps Parallel	1 of 1 (Revised)
BC 655.13	Sidewalk Ramps Combination	1 of 1 (Revised)
BC 655.21	Cut-Through Median and Island Openings	1 of 1 (Revised)
BC 655.22	Ramped Median and Island Openings	1 of 1 (Revised)
BC 655.40	Detectable Warning Surfaces	1 of 1 (Revised)
BC 656.01	Concrete Stairsteps and Ornamental Iron Railings	1 of 1
BC 660.01	Traffic Barrier W Beam - General Notes and Details	1 of 1
BC 660.02	Traffic Barrier W Beam - Trail End Anchorage General Notes and Details	1 of 1
BC 660.03	Traffic Barrier W Beam - Splice Joint	1 of 1
BC 660.04	Traffic Barrier W Beam with Wood Offset Block	1 of 1
BC 660.11	Traffic Barrier W Beam - End Treatment Cut to Fill	1 of 1
BC 660.14	Traffic Barrier W Beam - Shoulder Barrier Layout Right Shoulder	1 of 1
BC 660.15	Traffic Barrier W Beam - Shoulder Barrier Treatment at Obstacles	1 of 1
BC 660.16	Traffic Barrier W Beam - Median Barrier Treatment at Obstacles	1 of 1
BC 660.21	Traffic Barrier W Beam at Bridge Approaches Cut	1 of 1
BC 660.22	Traffic Barrier W Beam at Bridge Approaches Embankment 15 feet or Less	1 of 1
BC 660.23	Traffic Barrier Beam at Bridge Approaches Embankment 15 feet or Greater	1 of 1
BC 660.24	Traffic Barrier W Beam with Type A End Anchorage (Single Rail)	1 of 1
BC 660.25	Traffic Barrier W Beam with Type A End Anchorage (Double Rail)	1 of 1
BC 660.26	Traffic Barrier W Beam with Type A End Anchorage (Option 1)	1 of 1
BC 660.27	Traffic Barrier W Beam with Type A End Anchorage (Option 2)	1 of 1
BC 660.28	Type B Traffic Barrier End Treatment	1 of 1
BC 660.29	Type D Traffic Barrier End Treatment	1 of 1
BC 660.31	Traffic Barrier W Beam Approach Flare	1 of 1
BC 660.32	Traffic Barrier W Beam Anchorage Casting	1 of 1
BC 660.41	Traffic Barrier W Beam Anchorage at Structures	1 of 1
BC 660.51	Traffic Barrier W Beam Median Barrier End Treatment	1 of 1
BC 660.52	Traffic Barrier W Beam Median Barrier End Block	1 of 1
BC 660.61	Traffic Barrier W Beam Barricade	1 of 1
BC 662.01-1	Traffic Barrier Box Beam Median Barrier Section 4 - Splice Detail	1 of 2
BC 662.01-2	Traffic Barrier Box Beam Shoulder Barrier Section-Splice Detail	2 of 2

BC 662.02-1	Traffic Barrier Box Beam Shoulder Barrier Typical End Treatment	1 of 2
<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 662.02-2	Traffic Barrier Box Beam Shoulder Barrier Typical End Treatment	2 of 2
BC 662.11	Traffic Barrier Box Beam Shoulder Barrier Layout Right Shoulder	1 of 1
BC 662.12	Traffic Barrier Box Beam Shoulder Barrier Treatment at Obstacles	1 of 1
BC 662.13	Traffic Barrier Box Beam Median Barrier Treatment at Obstacles	1 of 1
BC 662.31	Traffic Barrier Box Beam Anchorage at Structure	1 of 1
BC 662.51-1	Traffic Barrier Box Beam Median Barrier - Details for Raised Medians	1 of 2
BC 662.51-2	Traffic Barrier Box Beam Median Barrier - Details for Flush Medians	2 of 2
BC 662.61-1	Traffic Barrier Box Beam Median Barrier – Typical Layout at Bridges	1 of 2
BC 662.61-2	Traffic Barrier Box Beam Median Barrier - Typical End Treatment	2 of 2
BC 690.01-1	Chain-Link Fence with Brace Rails and Fence Treatment at Expansion Joint	1 of 6
BC 690.01-2	Chain-Link fence with Tension Wire Top and Bottom	2 of 6
BC 690.01-3	Fence Gate Detail for Chain-Link Fence	3 of 6
BC 690.01-4	Chain-Link Fence Treatment at Vertical Break in Alignment	4 of 6
BC 690.01-5	Post Mounting Details Chain-Link Fence	5 of 6
BC 690.01-6	Post Mounting Details Chain-Link Fence	6 of 6

Category No. 7 – Roadside Improvements

BC 701.01	Tree Well	1 of 1
BC 701.11	Lightning Protection for Trees	1 of 1
BC 701.22	Root Pruning Detail	1 of 1
BC 701.31	Mulching Shrub Beds and Planting Patterns	1 of 1
BC 701.32	Tree Protection Detail for Determination of Critical Root Zone	1 of 1
BC 701.33	Tree Protection Fence, Plan	1 of 1
BC 701.34	Typical Signage for Tree Preservation Area Sign	1 of 1
BC 701.35	Tree Protection Fence over Concrete or Asphalt, Elevation	1 of 1
BC 701.36	Tree Protection Fence for Grass Areas, Elevation	1 of 1
BC 701.41	Soil Shoulders for Shrub Beds Planted on Slopes	1 of 1
BC 701.51	Wrapping Tree and Grading Tree on Slope	1 of 1
BC 701.61-1	Tree Planting Standards For Site Plan Projects	1 of 4
BC 701.61-2	Tree Planting Standards For Site Plan Projects	2 of 4
BC 701.61-3	Tree Planting Standards For Site Plan Projects	3 of 4
BC 701.61-4	Tree Planting Standards For Site Plan Projects	4 of 4
BC 702.01	General Standard for Tree Planting	1 of 1
BC 702.02	Planting Trees Under 5" Caliper	1 of 1
BC 702.03	Planting Trees 5" Caliper and Over	1 of 1
BC 702.04	Tree Planting Detail for Street Tree in Pit	1 of 1
BC 702.05	Structure Free Zone Garage or Other Cavity Extending Under Sidewalk	1 of 1
BC 702.06	Mulch Detail For Trees	1 of 1
BC 702.07	Shrub and Ground Cover Planting Detail	1 of 1
BC 704.01	Tree Pit Paving Detail: Granite or Concrete Block For Use in High Traffic Areas Only	1 of 1
BC 704.02	Pavers Over Tree Pit	1 of 1
BC 704.03	Tree Pit Drainage Details	1 of 1
BC 704.04	Continuous Soil Panel Under Sidewalk	1 of 1
BC 704.05	Continuous Planting Strip	1 of 1
BC 705.01	Root Paths Perspective	1 of 1
BC 705.02	Root Paths Details	1 of 1
BC 706.01	Tree Pit Guard	1 of 1
BC 706.02	Expandable Tree Grate and Frame Details	1 of 1
BC 710.01-1	Fastener for Tree Staking	1 of 5

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 710.01-2	Deciduous Trees Transplanted by Tree Spade	2 of 5
BC 710.01-3	Staking 3" to 4" Deciduous Trees and 10' to 12' Evergreen Trees	3 of 5
BC 710.01-4	Staking Minor and Evergreen Trees to 10' Height	4 of 5
BC 710.01-5	Staking Trees under 5" Caliper	5 of 5
BC 710.11	Planting Small Planting Stock	1 of 1
BC 710.21	Rest Area Parking for Handicapped	1 of 1
BC 710.31-1	Planting Trees over 5" Caliper Transplanted by Machine	1 of 2
BC 710.31-2	Guying Trees Over 4" Caliper	2 of 2
BC 711.01-1	Modified Tree Pit with Tree Root Barrier	1 of 2
BC 711.01-2	Modified Tree Pit (Section A-A)	2 of 2
BC 712.01-1	Specification for Root Control	1 of 2
BC 712.01-2	Specification for Root Control (Cont.)	2 of 2

Category No. 8 Utilities/Lighting

BC 801.01	Roadway Pedestal Base for Light Poles – Augured	1 of 1
BC 801.02	Roadway Pedestal Base for Light Poles – Square	1 of 1
BC 801.03	Foundation Base for Light poles - Steel Sub-Base	1 of 1
BC 801.04	Roadway Foundation Base for Light Poles - Free Standing Type	1 of 1
BC 801.05	Roadway Pedestal Base for Inner Harbor Type Light Poles	1 of 1
BC 801.07	Bolton Hill, Fells Point and Otterbein Base	1 of 1
BC 802.01-1	Conduit Expansion Coupling Parapet	1 of 2
BC 802.01-2	Conduit Expansion Joint for Suspended Electrical Duct	2 of 2
BC 802.02	Junction Boxes and Pull Boxes	1 of 1
BC 802.03-1	Conduit Square Bore Adapter	1 of 4
BC 802.03-2	Conduit Square Bore Adapter	2 of 4
BC 802.03-3	Duct Plugs, Bell Ends and Terminators	3 of 4
BC 802.03-4	Split Duct	4 of 4
BC 802.04-1	5" PVC, Plastic Utility Duct on Bridge Hanger Supports	1 of 6
BC 802.04-2	5" PVC, Plastic Utility Duct on Bridge Hanger Supports	2 of 6
BC 802.04-3	5" PVC, Plastic Utility Duct on Bridge Hanger Supports	3 of 6
BC 802.04-4	5" PVC Duct on Bridges – Back to Back Expansion Joint Installation	4 of 6
BC 802.04-5	5" PVC Duct on Bridges – Back to Back Expansion Joint Installation	5 of 6
BC 802.04-6	5" PVC, Plastic Utility Duct on Bridge Stop Ring Installation and Duct Termination	6 of 6
BC 803.01-1	Conduit Sections in Casing Pipe	1 of 5
BC 803.01-2	Conduit Sections in Casing Pipe	2 of 5
BC 803.01-3	Conduit Sections in Casing Pipe	3 of 5
BC 803.01-4	Conduit Sections in Casing Pipe	4 of 5
BC 803.01-5	Conduit Sections in Casing Pipe	5 of 5
BC 804.01	Handbox - Conduit Typical Installation	1 of 1
BC 804.02	Handbox - Conduit Standard Concrete Base	1 of 1
BC 804.03	Handbox - Conduit Standard Frame	1 of 1
BC 804.04	Handbox - Conduit Standard Cover	1 of 1
BC 804.05	Handbox - Conduit Standard Cover - Details 'A' and 'B'	1 of 1
BC 804.06	Handbox - Conduit Standard Cover - Detail 'C'	1 of 1
BC 804.07	Handbox - Conduit Standard Cover - Details 'D' and 'E'	1 of 1
BC 804.08	Handbox - Conduit Standard Cover - Locking Bolt and Surface Design Details	1 of 1
BC 804.09	Standard Handbox Cover – DTT	1 of 1
BC 804.10	Meter Cabinet for Electrical Service	1 of 1
BC 804.11	Roadway Lighting Distribution Panel Schematic Diagram	
	480Y/277 – Unmetered	1 of 1
BC 808.01	Typical Light Standard - 25 Foot AW Pole	1 of 1

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 808.02-1	Typical Light Standard - 30 Foot AW Pole	1 of 2
BC 808.02-2	Typical Light Standard - 30 Foot AW Pole on Transformer Base	2 of 2
BC 808.03	Typical Light Standard - Steel Pole Dimensions	1 of 1
BC 808.04	Typical Pole Arms for 25' & 30' Poles	1 of 1
BC 808.05	Combination Pole for Light Standard and Traffic Signals	1 of 1
BC 808.06	11' – 6" Lighting Standard for Residential Streets	1 of 1
BC 808.07	Lighting Standard Miscellaneous Details	1 of 1
BC 808.08	Standard Anchor Bolts	1 of 1
BC 808.09	Typical Installation of Light Standard on Bridge Parapet Adjacent to Sidewalk	1 of 1
BC 808.10-1	Typical Installation of Light Standard on Bridge Parapet Adjacent to Roadway	1 of 2
BC 808.10-2	Typical Installation of Light Standard on Bridge Parapet Adjacent to Roadway	2 of 2
BC 808.11	Lighting Accessories Plumizer Attachment and Parts	1 of 1
BC 808.12	Lighting Accessories Ballast Plate and Shims	1 of 1
BC 808.13	Bridge Lighting Conduit Details	1 of 1
BC 808.14	Detail of Aluminum Pole and Arm Plate Construction	1 of 1
BC 808.15-1	Base Plate for 11'-6", 25' & 30' Poles, Detail of Bolt Cover	1 of 2
BC 808.15-2	Base Plate for 11'-6", 25' & 30' Poles, Detail of Bolt Cover	2 of 2
BC 808.16	Decorative Pole and Tenon	1 of 1
BC 808.17-1	32' Square Tapered Pole	1 of 2
BC 808.17-2	32' Square Tapered Pole - Base Cover	2 of 2
BC 818.13	Typical Transformer Bases	1 of 1
BC 823.01	Underpass Luminaire Type I Luminaire Mounting Concrete Structure	1 of 1
BC 823.02	Underpass Luminaire Type II Luminaire Mounting Steel Structure	1 of 1
BC 823.03	Underpass Luminaire Type III Luminaire Mounting – Wall, Pier or Abutment	1 of 1
BC 824.01-1	Standard Duct Sections	1 of 2
BC 824.01-2	Standard Conduit Cross-Sections	2 of 2
BC 824.02-1	Plastic Utility Duct PVC (Poly Vinyl Chloride) General Information	1 of 2
BC 824.02-2	Plastic PVC Duct Spacers General Information	2 of 2
BC 824.05	Conduit Pole Connection, Single, Double and Triple	1 of 1
BC 824.06	Duct Entrance into Manhole	1 of 1
BC 824.07	Duct Reinforcement at Railroad Crossing	1 of 1
BC 824.08	Reinforcing Slab for Shallow Electric Duct	1 of 1
BC 824.09	Duct Typical Section 8-5", 4-3" and 2-4"	1 of 1
BC 824.10	Duct Transition to Precast Recessed Extension	1 of 1
BC 825.01	Steel Details for 6 Foot by 12 Foot Line Manhole	1 of 1 (Revised)
BC 825.02-1	Details for 6 Foot by 12 Foot Poured in Place Line Manhole	1 of 2
BC 825.02-2	Details for 6 Foot by 12 Foot Poured in Place Line Manhole	2 of 2
BC 825.04	Braced Cofferdam for Poured in Place Manhole	1 of 1
BC 825.05	Steel Details for 6 Foot by 12 Foot Transformer Manhole	1 of 1
BC 825.06-1	Details for 6 Foot by 12 Foot Poured in Place Transformer Manhole	1 of 2
BC 825.06-2	Details for 6 Foot by 12 Foot Poured in Place Transformer Manhole	2 of 2
BC 825.07-1	4'-0" x 4'-0" x 4'-0" Manhole – Conduit	1 of 3
BC 825.07-2	4'-0" x 4'-0" x 4'-0" Manhole – Conduit	2 of 3
BC 825.07-3	4'-0" x 4'-0" x 4'-0" Manhole – Conduit	3 of 3
BC 825.08-1	Excavation and Shoring for Precast Manholes	1 of 2
BC 825.08-2	Excavation and Shoring for Precast Manholes	2 of 2
BC 825.09-1	Poured in Place Manhole – 6'x8'	1 of 2
BC 825.09-2	Poured in Place Manhole – 6'x8'	2 of 2


BC 825.10	Soldier Pile Bracing for Precast Manhole	1 of 1
BC 825.11	Manhole - Conduit Standard Installation	1 of 1

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 825.12	Manhole - Conduit Standard Cover	1 of 1 (Replaced
	with BC 825.12-01 Manhole Conduit Standard 36" Cover)	
BC 825.12-01	Manhole Conduit Standard 36" Cover	1 of 1 (New)
BC 825.12-02	Manhole Conduit Standard 36" Frame	1 of 1 (New)
BC 825.13	Manhole - Conduit Standard Frame	1 of 1 (Deleted)
BC 825.14	Manhole - Conduit Standard Cover - DTT	1 of 1 (Replaced
	with BC 825.14-02	
BC 825.14-02	Manhole Conduit Standard 37" Frame	2 of 2 (New)
BC 825.15-1	6'x17'-6"x9' Precast Network Transformer Manhole - Details	1 of 5
BC 825.15-2	6'x17'-6"x9' Precast Network Transformer Manhole - Details	2 of 5
BC 825.15-3	6'x17'-6"x9' Precast Network Transformer Manhole - Details	3 of 5
BC 825.15-4	6'x17'-6"x9' Precast Network Transformer Manhole - Details	4 of 5
BC 825.15-5	6'x17'-6"x9' Precast Network Transformer Manhole - Details	5 of 5
BC 826.01-1	Precast Line Manhole - 6'x12'x7' Headroom Top Half	1 of 2 (Revised)
BC 826.01-2	Precast Line Manhole - 6'x12'x7' Headroom Bottom Half	2 of 2 (Revised)
BC 826.02-1	Precast Line Manhole - 6'x12'x8' Headroom Top Half	1 of 2 (Revised)
BC 826.02-2	Precast Line Manhole - 6'x12'x8' Headroom Bottom Half	2 of 2 (Revised)
BC 826.03-1	Precast Line Manhole - 6'x12'x9' Headroom Top Half	1 of 2 (Revised)
BC 826.03-2	Precast Line Manhole - 6'x12'x9' Headroom Bottom Half	2 of 2 (Revised)
BC 826.04	Precast Line Manhole - 6'x12'x7' - 8' -9' HR Bar Schedule	1 of 1
BC 826.05	End and Side Knockout Details - Precast Manhole	1 of 1
BC 826.06	Insert Details for Recessed Extension - Precast Manhole	1 of 1
BC 826.07-1	Precast Recessed Extension	1 of 2
BC 826.07-2	Precast Recessed Extension - Manhole Adjustments	2 of 2
BC 826.08	Accessories for Precast Manholes	1 of 1
BC 826.09	Cast-In-Place Recessed Wall Extension	1 of 1
BC 827.01-1	Precast Manhole 6'x8'x7' Headroom Top Half	1 of 2
BC 827.01-2	Precast Manhole 6'x8'x7' Headroom Bottom Half	2 of 2
BC 827.02-1	Precast Manhole 6'x8'x8' Headroom Top Half	1 of 2
BC 827.02-2	Precast Manhole 6'x8'x8' Headroom Bottom Half	2 of 2
BC 827.03	Precast Manhole 6'x8'x7'-8' HR Bar Schedule	1 of 1
BC 830.01-1	Duct Identification	1 of 6
BC 830.01-2	Duct Identification	2 of 6
BC 830.01-3	Duct Identification	3 of 6
BC 830.01-4	Duct Identification	4 of 6
BC 830.01-5	Duct Identification	5 of 6
BC 830.01-6	Duct Identification	6 of 6
BC 830.02	Conduit Transposition	1 of 1


Category No. 8 Utilities/Signals

BC 880.01	Steel Strain Pole	1 of 1
BC 880.02	Heavy Duty Steel Strain Pole	1 of 1
BC 880.03	Joint Use Steel Strain Pole	1 of 1
BC 880.04	Heavy Duty Joint Use Steel Strain Pole	1 of 1
BC 880.05-1	Multi-Purpose Pole	1 of 2
BC 880.05-2	Multi-Purpose Pole	2 of 2
BC 880.06-1	Galvanized Steel Mast Arm Pole	1 of 3
BC 880.06-2	Galvanized Steel Mast Arm Pole	2 of 3
BC 880.06-3	Galvanized Steel Mast Arm Pole	3 of 3
BC 880.07	Push Button Post	1 of 1

<u>Std. No.</u>	<u>Description</u>	<u>Sheet No.</u>
BC 880.08	Steel Pedestal Pole	1 of 1
BC 880.09-1	Inner Harbor Type Square Steel Poles & Mast Arms	1 of 4
BC 880.09-2	Inner Harbor Type Square Steel Poles & Mast Arms	2 of 4
BC 880.09-3	Inner Harbor Type Square Steel Poles & Mast Arms	3 of 4
BC 880.09-4	Inner Harbor Type Square Steel Poles & Mast Arms	4 of 4
BC 880.10	Inner Harbor Type Square Pedestal Pole	1 of 1
BC 887.01	Pole, Post and Pedestal Foundation Details – Traffic	1 of 1
BC 887.02	Standard Anchor Bolts – Traffic	1 of 1
BC 890.01	Category (C) Controller Cabinet Foundation Base	1 of 1
BC 890.02	Type 332 And Category (E) Controller Cabinet Foundation Base	1 of 1
BC 890.10	Type 336S Cabinet Base Adapter	1 of 1
BC 890.11	Push Button Sign	1 of 1
BC 890.12	Cabinet Mounting Bracket – Traffic	1 of 1
BC 891.01	Existing Ductbank Support System	1 of 1
BC 892.01-1	Adapting Plastic Duct to Other Duct Materials	1 of 10
BC 892.01-2	Adapting Plastic Duct to Other Duct Materials	2 of 10
BC 892.01-3	Adapting Plastic Duct to Other Duct Materials	3 of 10
BC 892.01-4	Adapting Plastic Duct to Other Duct Materials	4 of 10
BC 892.01-5	Adapting Plastic Duct to Other Duct Materials	5 of 10
BC 892.01-6	Adapting Plastic Duct to Other Duct Materials	6 of 10
BC 892.01-7	Adapting Plastic Duct to Other Duct Materials	7 of 10
BC 892.01-8	Adapting Plastic Duct to Other Duct Materials	8 of 10
BC 892.01-9	Adapting Plastic Duct to Other Duct Materials	9 of 10
BC 892.01-10	Adapting Plastic Duct to Other Duct Materials	10 of 10
BC 893.01-1	Tree Root Barrier for Tree Pits	1 of 4
BC 893.01-2	Tree Root Barrier for Tree Pits	2 of 4
BC 893.01-3	Tree Root Barrier for Tree Pits	3 of 4
BC 893.01-4	Tree Root Barrier for Tree Pits	4 of 4



- NOTES:**
- 1.PLACE STEEL PLATE ON SURFACE OF EXISTING PAVEMENT.
 - 2.SPIKES TO BE DRILLED IN CONCRETE BASE, SPIKES ARE TO BE MINIMUM OF 6 IN. IN LENGTH.
 - 3.SPIKES AND HOT MIX ASPHALT (HMA) TO BE PLACED ONLY WHERE MAINTENANCE OF TRAFFIC IS REQUIRED AND IN THE PUBLIC RIGHT OF WAY.
 - 4.WELDING BY A LICENSED WELDER IS REQUIRED FOR STEEL PLATES PLACED IN MULTIPLES(TWO OR MORE).
 - 5.EACH STEEL PLATE PLACED ON SIDEWALK MUST HAVE HOT MIX ASPHALT(HMA) INSTALLED AROUND THE ENTIRETY OF PLATE.
 - 6.EACH UNUSED PLATES MUST BE IMMEDIATELY REMOVED FROM SITE AFTER PERMANENT REMOVAL FROM EXCAVATION.
 - 7.EQUIPMENT AND MATERIALS OF ANY KIND CANNOT BE STORED IN PUBLIC RIGHT OF WAY FOR FUTURE USE UNLESS A PERMIT IS OBTAINED AND APPROVED BY THE DIRECTOR OF TRANSPORTATION OR DESIGNEE.
 - 8.EACH STEEL PLATE AND EACH PIECE OF EQUIPMENT ARE SEPARATE AND FINEABLE.
 - 9.ALL STEEL PLATES MUST MEET REQUIRED TRAFFIC LOADS, AND BE SKID RESISTANT.THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE APPROPRIATE SELECTION AND MAINTENANCE OF THE STEEL PLATES.
 - 10.ALL STEEL PLATES MUST MEET ADA STANDARDS FOR COEFFICIENT OF FRICTION: FLAT PLATE=0.60, INCLINED PLATE=0.80 USING ASTM STD 1679(STEEL PLATE SPECIFICATION/DOCUMENTATION REQUIRED UPON REQUEST).
 - 11.PERMANENT PAVING MUST TAKE PLACE IMMEDIATELY AFTER THE FINAL REMOVAL OF THE STEEL PLATE.
 - 12."STEEL PLATE AHEAD" SIGNS MUST BE PLACED IN ADVANCE.
 - 13.FOR TRENCH WIDTHS EQUAL TO OR GREATER THAN 5 FT, THE STEEL PLATE AND SUPPORT SYSTEM SHALL BE INSTALLED.
 - 14.APPROACH AND ENDING PLATE OF LONGITUDINAL PLACEMENT SHALL BE ATTACHED TO THE ROADWAY BY A MINIMUM OF 1 SPIKE IN EACH CORNER OF THE PLATE. DRILL A ½ INCH DIAMETER, 5 INCH DEEP PILOT HOLE INTO THE PAVEMENT. DRIVE 1 SPIKE INTO EACH HOLE.SUBSEQUENT PLATES ARE BUTTED TO EACH OTHER AND WELDED. ASPHALT MATERIAL SHALL BE COMPACTED TO FORM RAMPS.MAXIMUM SLOPE IS 8.5% WITH A MINIMUM 12 INCH TAPER TO COVER ALL EDGES OF THE STEEL PLATES. CONTRACTOR'S PROPOSED METHOD OF SPIKING SHALL BE APPROVED BY THE DIRECTOR OF TRANSPORTATION OR DESIGNEE.



APPROVED :


DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION

DIRECTOR, DEPARTMENT OF TRANSPORTATION

CITY OF BALTIMORE
DEPARTMENT OF TRANSPORTATION
TRANSPORTATION ENGINEERING AND CONSTRUCTION

STREET CUT AND REPAIR
TEMPORARY STEEL PLATE


ISSUED	REVISED	REVISED
8 / 2010	08 / 2023	
STANDARD NO. BC 576.17-1		
SCALE : NONE		SHEET 1 OF 2



TYPICAL TRENCH PLATE DETAIL
N.T.S.

NOTE:

1. THE CONTRACTOR SHALL PROVIDE A MINIMUM 18" LAP OF STEEL PLATE ON EACH SIDE OF TRENCH TO ASSURE NO SLIPPING OF PLATE OR COLLAPSING OF TRENCH WALL. WHERE 18" LAP CANNOT BE MET, ENGINEERING DESIGN IS REQUIRED AND SHALL BE APPROVED BY THE CITY ENGINEER.
2. STEEL PLATE MUST FIT SNUG WITHIN THE RECESSED AREA AND INSTALLED TO OPERATE WITH MINIMUM NOISE.
3. THE PAVEMENT SHALL BE COLD PLANNED TO A DEPTH EQUAL TO THE THICKNESS OF THE PLATE, AND TO A WIDTH AND LENGTH EQUAL TO THE THICKNESS OF THE PLATE, AND TO OPERATE WITH MINIMUM NOISE.
4. THIS STANDARD SHALL BE IMPLEMENTED ON ALL PROJECTS WITHIN THE VEHICULAR TRAVELWAY ANTICIPATED TO BE OPEN MORE THAN 30 DAYS UNLESS OTHERWISE APPROVED BY THE CITY ENGINEER.
5. WELDING BY A LICENSED WELDER IS REQUIRED FOR STEEL PLATES PLACED IN MULTIPLES (TWO OR MORE).
6. ALL STEEL PLATES MUST MEET REQUIRED TRAFFIC LOADS, AND BE SKID-RESISTANT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE APPROPRIATE SELECTION AND MAINTENANCE OF THE STEEL PLATES.
7. ALL STEEL PLATES MUST MEET ADA STANDARDS FOR COEFFICIENT OF FRICTION: FLAT PLATE = 0.60, INCLINED PLATE = 0.80 USING ASTM STD. 1679.(STEEL PLATE SPECIFICATION/DOCUMENTATION REQUIRED UPON REQUEST)
8. STEEL PLATES MUST BE REMOVED AND PERMANENT PAVEMENT SHALL BE PLACED WITHIN FIFTEEN (15) WORKING DAYS OR AS APPROVED BY THE CITY ENGINEER.
9. THE CONTRACTOR MAY BE REQUIRED TO PLACE "STEEL PLATES AHEAD" SIGNS.
10. EQUIPMENT AND MATERAILS OF ANY KIND CANNOT BE STORED IN PUBLIC RIGHT OF WAY FOR FUTURE USE UNLESS A PERMIT IS OBTAINED AND APPROVED BY THE DIRECTOR OF TRANSPORTATION OR DESIGNEE.
- 11.EACH STEEL PLATE AND EACH PIECE OF EQUIPMENT ARE SEPARATE AND FINEABLE.

	APPROVED :	CITY OF BALTIMORE DEPARTMENT OF TRANSPORTATION TRANSPORTATION ENGINEERING AND CONSTRUCTION	ISSUED	REVISED	REVISED
	DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION		8 / 2010	08 / 2023	
	DIRECTOR, DEPARTMENT OF TRANSPORTATION	STREET CUT AND REPAIR RECESSED TEMPORARY STEEL PLATE	STANDARD NO. BC 576.17-2		
			SCALE : NONE	SHEET 2 OF 2	

CONSTRUCTION NOTES AND REQUIREMENTS

THE FOLLOWING NOTES ARE APPLICABLE TO THE REPAIR OF TRENCHES IN EXISTING PLAIN CEMENT CONCRETE PAVEMENT AND REINFORCED CONCRETE PAVEMENT.

REMOVE EXISTING PAVEMENT:

LONGITUDINAL TRENCHES:

REMOVE EXISTING PAVEMENT FOR FULL WIDTH OF SLAB BETWEEN JOINTS.


TRANSVERSE TRENCHS:

REMOVE EXISTING PAVEMENT FOR THE ENTIRE WIDTH OF SLAB AND FOR A LENGTH IN ACCORDANCE WITH THE FOLLOWING LIMITATIONS:

- A. MINIMUM LENGTH OF PAVEMENT REMOVAL SHALL BE 12 FEET (20 FEET FOR REINFORCED CONCRETE PAVEMENT).
- B. ONLY TWO TRANSVERSE CUTS MAY BE MADE IN ANY ONE SLAB BETWEEN EXISTING TRANSVERSE JOINTS.
- C. A TRANSVERSE CUT SHALL NOT BE CLOSER THAN 12 FEET (20 FEET FOR REINFORCED CONCRETE PAVEMENT) TO AN EXISTING TRANSVERSE JOINT OR CLOSER THAN 2 FEET TO THE EDGE OF TRENCH.


ALL PAVEMENT CUTS SHALL BE MADE WITH A SAW CUT 3 INCHES DEEP BEFORE BREAKING OUT EXISTING CONCRETE. SALVAGE LONGITUDINAL AND TRANSVERSE TIE BASE WHERE PAVEMENT IS REMOVED TO AN EXISTING JOINT.

PAVEMENT REPLACEMENT:



NOTES:

- A. IF THIS REPAIR ENDS WITHIN 12 FT. OF A TRANSVERSE JOINT IN PLAIN CEMENT CONCRETE PAVEMENT OR WITHIN 20 FEET OF A TRAVERSE JOINT IN REINFORCED CONCRETE PAVEMENT THE REPAIR SHALL BE EXTENDED TO THE JOINT.
- B. IF A TRANSVERSE JOINT OCCURS WITHIN THIS REPAIR AREA THE REPAIR SHALL END AT THE TRANSVERSE JOINT. THE FULL DEPTH PATCH SHALL BE IN ACCORDANCE WITH THE FOLLOWING:
 - 1. LONGITUDINAL TRENCHES:
REMOVE THE EXISTING PAVEMENT FOR THE ENTIRE TRAFFIC LANE WIDTH WHERE THE TRENCH IS LOCATED. REMOVE AN ADDITIONAL TEN FEET OF PAVEMENT AT THE BEGINNING AND END OF THE TRENCH. SEE FIGURE 1 ABOVE.
 - 2. TRANSVERSE TRENCH:
REMOVE THE PAVEMENT 10' ON EACH SIDE OF THE TRENCH FOR THE ENTIRE WIDTH OF THE AFFECTED TRAFFIC LANE. SEE FIGURE 2 ABOVE.
- C. ALL PAVEMENT CUTS SHALL BE MADE WITH A SAW CUT 3 INCHES DEEP INTO CONCRETE PAVEMENT BEFORE BREAKING OUT EXISTING CONCRETE. SALVAGE LONGITUDINAL AND TRANSVERSE TIE BARS WHERE PAVEMENT IS REMOVED TO AN EXISTING JOINT.
- D. PLACEMENT OF CONCRETE PAVEMENT MUST BE COMPLETE WITHIN 7 DAYS AFTER THE COMPLETION OF BACK FILL AND COMPACTION.
- E. EQUIPMENT AND MATERIALS OF ANY KIND CANNOT BE STORED IN PUBLIC RIGHT OF WAY FOR FUTURE USE UNLESS A PERMIT IS OBTAINED AND APPROVED BY THE DIRECTOR OF TRANSPORTATION OR DESIGNEE.
- F. EACH STEEL PLATE AND EACH PIECE OF EQUIPMENT ARE SEPARATE AND FINEABLE.
- G. IF THE PERMANENT RESTORATION IMPACTS THE CROSSWALK, THEN ENTIRE LENGTH OF CROSSWALK MUST BE REPLACED BY DOT APPROVED CROSSWALK MARKING.SEE DETAIL BC 577.01.


	APPROVED :	CITY OF BALTIMORE DEPARTMENT OF TRANSPORTATION TRANSPORTATION ENGINEERING AND CONSTRUCTION	ISSUED	REVISED	REVISED
	DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION		8 / 2010	08 / 2023	
	DIRECTOR, DEPARTMENT OF TRANSPORTATION	STREET CUT AND REPAIR RIGID PAVEMENT	STANDARD NO. BC 576.18-1		
			SCALE : NONE	SHEET 1 OF 2	

PAVEMENT REPLACEMENT :

1. THE TOP 6 INCHES OF THE TRENCH SHALL BE FILLED WITH COMPACTED SUBBASE (6 INCHES CRUSHER RUN AGGREGATE CR-6), ADDITIONAL THICKNESS, IF REQUIRED, SHALL BE IN ACCORDANCE WITH THE PLANS OR AS DIRECTED BY THE ENGINEER. SEE SECTION 32 11 23.10 IN SPECIFICATIONS.
2. CLEAN AND WET EDGES OF EXISTING PAVEMENT AND COMPACT AND DAMPEN SUBBASE OF ENTIRE OPENING BEFORE PLACING CONCRETE.
3. AT EXISTING JOINTS, REPLACE 3/4 INCH EXPANSION MATERIAL, EXPANSION SLEEVES OR COMPLETE EXPANSION OR CONTRACTION JOINT ASSEMBLIES AS REQUIRED BEFORE PLACING CONCRETE.
4. AT PAVEMENT CUTS, DRILL HOLE AND INSTALL 1/2 OF SPECIAL LONGITUDINAL TIE DEVICE AS DIRECTED BY THE ENGINEER AND IN ACCORDANCE WITH STANDARD BC 572.61-2.
5. REPLACE CONCRETE USING MODIFIED MIX NO. 6 CONCRETE CAPABLE OF ACHIEVING 2500 PSI WITHIN 12 HOURS. SEE SECTION 32 01 30.10, 3.6. B.2.b IN SPECIFICATIONS.
6. STEEL BARS ARE REQUIRED WHERE EXISTING PAVEMENT IS REINFORCED. COST OF MATERIAL AND PLACING STEEL BARS TO BE INCLUDED IN UNIT PRICE BID FOR PATCHING EXISTING PAVEMENT ITEMS.

GENERAL NOTES:

1. ALL WORK TO BE PERFORMED IN ACCORDANCE WITH THE LATEST BALTIMORE CITY STANDARD SPECIFICATIONS.
2. THE ABOVE REQUIREMENTS ARE APPLICABLE TO ALL TYPES OF UTILITY REPAIR IN RIGID PAVEMENT.
3. INTERMITTENT UTILITY CUTS WILL NOT BE PERMITTED.
4. PROCEDURE FOR MAINTENANCE OF TRAFFIC SHALL BE APPROVED BY THE DEPARTMENT OF TRANSPORTATION (DOT), TRAFFIC DIVISION BEFORE ANY EXISTING PAVEMENT IS REMOVED.


	APPROVED :	CITY OF BALTIMORE DEPARTMENT OF TRANSPORTATION TRANSPORTATION ENGINEERING AND CONSTRUCTION	ISSUED	REVISED	REVISED
	DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION		8 / 2010	10 / 2013	08/2023
	DIRECTOR, DEPARTMENT OF TRANSPORTATION	STREET CUT AND REPAIR RIGID PAVEMENT	STANDARD NO. BC 576.18-2		
			SCALE : NONE	SHEET 2 OF 2	



APPROVED:
 DIVISION CHIEF, TRANSPORTATION ENGINEERING
 AND CONSTRUCTION
 DIRECTOR, DEPARTMENT OF TRANSPORTATION

CITY OF BALTIMORE
 DEPARTMENT OF TRANSPORTATION
 ENGINEERING AND
 CONSTRUCTION
**STREET CUT REPAIR
 FULL DEPTH
 FLEXIBLE PAVEMENT**

ISSUED	8 / 2010	REVISED	08 / 2023	REVISED
STANDARD NO. BC 576.19-1				
SCALE: NONE	SHEET 1 OF 2			



**TRENCH REPAIR AND
 INTERMITTENT UTILITY CUTS**

THIS DETAIL IS APPLICABLE TO THE REPAIR OF TRENCHES
 AND INTERMITTENT UTILITY CUTS IN EXISTING FULL DEPTH
 FLEXIBLE PAVEMENT.

SEE STANDARD BC 576.19-2
 FOR CONSTRUCTION NOTES AND OTHER REQUIREMENTS.

NOTES:

1. EQUIPMENT AND MATERIALS OF ANY KIND CANNOT BE STORED IN PUBLIC RIGHT OF WAY FOR FUTURE USE UNLESS A PERMIT IS OBTAINED AND APPROVED BY THE DIRECTOR OF TRANSPORTATION OR DESIGNEE.
2. EACH PIECE OF EQUIPMENT & MATERIALS ARE SEPARATE AND FINEABLE.
3. PLACEMENT OF FINISH SURFACE AND BASE COURSE MUST BE COMPLETED WITHIN 7 DAYS AFTER COMPLETION OF BACKFILL AND COMPACTION TESTING.

CONSTRUCTION NOTES AND REQUIREMENTS

THE FOLLOWING NOTES ARE APPLICABLE TO THE REPAIR OF TRENCHES AND INTERMITTENT UTILITY CUTS IN EXISTING FULL DEPTH FLEXIBLE PAVEMENT.

SEE STANDARD BC 576.19-1 FOR CONSTRUCTION DETAILS.

REMOVE EXISTING PAVEMENT:

EXISTING PAVEMENT SHALL BE REMOVED TO THE DIMENSIONS SHOWN ON THE CONSTRUCTION DETAIL FOR BOTH LONGITUDINAL AND TRANSVERSE PAVEMENT CUTS.

PAVEMENT REPLACEMENT:




FIGURE 1
LONGITUDINAL TRENCH

FIGURE 2
TRANSVERSE TRENCH

MILLING AND OVERLAYING SHALL BE USED TO EXTEND THE LIMITS OF THE SURFACE COURSE BEYOND THE LIMITS OF THE FULL DEPTH PATCH IN ACCORDANCE WITH THE FOLLOWING:

A. LONGITUDINAL TRENCHES:

REMOVE THE TOP 2 INCHES OF THE EXISTING SURFACE ASPHALT PAVEMENT, BY CLEAN SAW CUT. FOR THE ENTIRE TRAFFICLANE WIDTH WHERE THE TRENCH IS LOCATED, AND RESURFACE WITH 2" INCHES OF HOT MIX ASPHALT SUPERPAVE 12.5mm. FOR SURFACE COURSE, PG64-22, LEVEL 2. ADD AN ADDITIONAL 10 FT. AT THE BEGINNING AND ENDING OF TRENCH. SEE FIGURE 1 ABOVE.

B. TRANSVERSE TRENCH AND INTERMITTENT UTILITY CUT:

REMOVE THE TOP 2" INCHES OF THE EXISTING SURFACE ASPHALT PAVEMENT. 10' ON EACH SIDE OF THE TRENCH AND INTERMITTENT UTILITY CUT FOR THE ENTIRE WIDTH OF THE AFFECTED TRAFFIC LANE AND RESURFACE WITH 2" HOT MIX ASPHALT SUPERPAVE 12.5mm FOR SURFACE COURSE, PG64-22, LEVEL 2. SEE FIGURE 2 ABOVE.

- THE TOP 6 INCHES OF THE TRENCH OR INTERMITTENT UTILITY CUT SHALL BE FILLED WITH COMPACTED SUBBASE (6 INCHES CRUSHER RUN AGGREGATE, CR-6). ADDITIONAL SUBBASE THICKNESS, IF REQUIRED, SHALL BE IN ACCORDANCE WITH THE PLANS OR AS DIRECTED BY THE ENGINEER. SEE 32 11 23.10 IN SPECIFICATIONS.
- COMPACT SUBBASE OF ENTIRE OPENING BEFORE PLACING HOT MIX ASPHALT. THE FLEXIBLE PAVING SHALL BE REPLACED FLUSH WITH THE FINISHED PAVEMENT SURFACE USING A BASE COURSE WITH MAXIMUM 3 INCH COMPACTED LAYERS AND A 2 INCH COMPACTED SURFACE COURSE. SEE 32 01 30.10. 3.6.A.2.b IN SPECIFICATIONS.
- ALL EXPOSED EDGES OF EXISTING FLEXIBLE PAVEMENT, THE SURFACE OF THE SUBBASE AND EACH LAYER OF HOT MIX ASPHALT SHALL BE TACK COATED IN ACCORDANCE WITH THE AFOREMENTIONED SPECIFICATIONS BEFORE THE NEXT LAYER OF HOT MIX ASPHALT IS PLACED.

C. IF THE PERMANENT RESTORATION IMPACTS THE CROSSWALK, THEN ENTIRE LENGTH OF CROSSWALK MUST BE REPLACED BY DOT APPROVED CROSSWALK MARKING.SEE DETAIL BC577.01.

GENERAL NOTES:

1. ALL WORK TO BE PERFORMED IN ACCORDANCE WITH THE LATEST BALTIMORE CITY STANDARD SPECIFICATIONS.
2. PROCEDURE FOR MAINTENANCE OF TRAFFIC SHALL BE APPROVED BY THE DEPARTMENT OF TRANSPORTATION (DOT), TRAFFIC DIVISION BEFORE ANY EXISTING PAVEMENT IS REMOVED.


	APPROVED:	CITY OF BALTIMORE DEPARTMENT OF TRANSPORTATION TRANSPORTATION ENGINEERING AND CONSTRUCTION	ISSUED	REVISED	REVISED
			8 / 2010	10 / 2013	08 / 2023
	DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION DIRECTOR, DEPARTMENT OF TRANSPORTATION	STREET CUT AND REPAIR FULL DEPTH FLEXIBLE PAVEMENT	STANDARD NO. BC 576.19-2	SCALE : NONE	SHEET 2 OF 2



APPROVED:
 DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION
 DIRECTOR, DEPARTMENT OF TRANSPORTATION

CITY OF BALTIMORE
 DEPARTMENT OF TRANSPORTATION
 TRANSPORTATION ENGINEERING AND CONSTRUCTION
STREET CUT AND REPAIR
FLEXIBLE SURFACE
RIGID BASE

ISSUED	8 / 2010	REVISED	08 / 2023	REVISED
SCALE : NONE	STANDARD NO. BC 576.20-1			
SHEET	1	OF	2	



**TRENCH REPAIR AND
 INTERMITTENT UTILITY CUTS**

THIS DETAIL IS APPLICABLE TO THE REPAIR OF TRENCHES AND INTERMITTENT UTILITY CUTS IN EXISTING PAVEMENT HAVING A FLEXIBLE SURFACE AND A RIGID BASE.

SEE STANDARD BC 576.20-2 FOR CONSTRUCTION NOTES AND OTHER REQUIREMENTS.

NOTES:

1. EQUIPMENT AND MATERIALS OF ANY KIND CANNOT BE STORED IN PUBLIC RIGHT OF WAY FOR FUTURE USE UNLESS A PERMIT IS OBTAINED AND APPROVED BY THE DIRECTOR OF TRANSPORTATION OR DESIGNEE.
2. EACH PIECE OF EQUIPMENT AND MATERIALS ARE SEPARATE AND FINEABLE.
3. PLACEMENT OF FINISH SURFACE AND BASE COURSE MUST BE COMPLETED WITHIN 7 DAYS AFTER COMPLETION OF BACKFILL AND COMPACTION TESTING.

CONSTRUCTION NOTES AND REQUIREMENTS

THE FOLLOWING NOTES ARE APPLICABLE TO THE REPAIR OF TRENCHES AND INTERMITTENT UTILITY CUTS IN EXISTING PAVEMENT HAVING A FLEXIBLE SURFACE AND A RIGID BASE.

SEE STANDARD BC 576.20-1 FOR CONSTRUCTION DETAILS

REMOVE EXISTING PAVEMENT:

1. EXISTING PAVEMENT SHALL BE REMOVED TO THE DIMENSIONS SHOWN ON THE CONSTRUCTION DETAIL FOR BOTH LONGITUDINAL AND TRANSVERSE PAVEMENT CUTS. WHERE IT CAN BE DETERMINED THAT A PAVEMENT CUT IS LOCATED WITHIN 2 FEET OF AN EXISTING JOINT, THE ADDITIONAL WIDTH OF EXISTING BRICK AND CONCRETE BASE FROM THE PAVEMENT CUT TO THE EXISTING JOINT SHALL ALSO BE REMOVED.
2. SALVAGE LONGITUDINAL AND TRANSVERSE TIE BARS WHERE PAVEMENT IS REMOVED TO AN EXISTING JOINT. CUT BACK EXISTING FLEXIBLE SURFACING AS SHOWN.

PAVEMENT REPLACEMENT:

1. THE TOP 6 INCHES OF THE TRENCH OR INTERMITTENT UTILITY CUT SHALL BE FILLED WITH COMPACTED SUBBASE. TYPE OF SUBBASE MATERIAL AND ADDITIONAL THICKNESS, IF REQUIRED SHALL BE IN ACCORDANCE WITH THE PLANS OR AS DIRECTED BY THE ENGINEER. SEE SECTION 32 11 23.10 IN SPECIFICATIONS.
2. CLEAN AND WET EDGES OF EXISTING PAVEMENT AND COMPACT AND DAMPEN SUBBASE OF ENTIRE OPENING BEFORE PLACING CONCRETE. AT EXISTING JOINTS, REPLACE 3/4 INCH EXPANSION MATERIAL, EXPANSION SLEEVES OR COMPLETE EXPANSION AND CONTRACTION JOINT ASSEMBLIES AS REQUIRED BEFORE PLACING CONCRETE.
3. AT PAVEMENT CUTS, DRILL HOLE AND INSTALL 1/2 OF LONGITUDINAL TIE DEVICE AS DIRECTED BY THE ENGINEER AND IN ACCORDANCE WITH STANDARD BC 572.61-2 PLACE CONCRETE BASE USING MODIFIED MIX 6 CONCRETE. * SEE SECTION 32 01 30.10 IN SPECIFICATIONS.
4. THE FLEXIBLE PAVING SHALL BE REPLACED FLUSH WITH THE FINISHED PAVEMENT SURFACE USING A BINDER COURSE WITH MAXIMUM 3 INCH COMPACTED LAYERS AND A 2 INCH COMPACTED SURFACE COURSE. SEE SECTION 32 01 17.59 IN SPECIFICATIONS.
5. ALL EXPOSED EDGES OF EXISTING FLEXIBLE PAVEMENT, THE SURFACE OF CONCRETE BASE AND EACH LAYER OF HOT MIX ASPHALT (HMA) BINDER COURSE SHALL BE PRIMED WITH A MATERIAL SATISFACTORY TO THE ENGINEER BEFORE THE NEXT LAYER OF HMA MIXTURE IS PLACED.

GENERAL NOTES:

1. ALL WORK TO BE PERFORMED IN ACCORDANCE WITH THE LATEST BALTIMORE CITY STANDARD SPECIFICATIONS.
2. PROCEDURE FOR MAINTENANCE OF TRAFFIC SHALL BE APPROVED BY THE DEPARTMENT OF TRANSPORTATION (DOT), TRAFFIC DIVISION BEFORE ANY EXISTING PAVEMENT IS REMOVED.
3. IF THE PERMANENT RESTORATION IMPACTS THE CROSSWALK, THEN ENTIRE LENGTH OF CROSSWALK MUST BE REPLACED BY DOT APPROVED CROSSWALK MARKING. SEE DETAIL BC577.01.

* CAPABLE OF ACHIEVING A COMPRESSIVE STRENGTH OF TWENTYFIVE HUNDRED (2500) PSI WITHIN TWELVE (12) HOURS.

PAVEMENT REPLACEMENT:






FIGURE 1

LONGITUDINAL TRENCH

FIGURE 2

TRANSVERSE TRENCH

	APPROVED:	CITY OF BALTIMORE DEPARTMENT OF TRANSPORTATION TRANSPORTATION ENGINEERING AND CONSTRUCTION	ISSUED	REVISED	REVISED
			8 / 2010	10 / 2013	08 / 2023
	DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION		STREET CUT AND REPAIR FLEXIBLE SURFACE RIGID BASE		
DIRECTOR, DEPARTMENT OF TRANSPORTATION			SCALE: NONE	SHEET 2 OF 2	



NOTE:

1. SEALING MATERIALS BELOW THE AGGREGATE BASE SHALL CONSIST OF EITHER NEAT CEMENT AND WATER OR A CEMENT BENTONITE GROUT. NEAT CEMENT AND WATER SHALL BE COMPOSED OF ONE (1) BAG OF PORTLAND CEMENT TO FIVE (5) TO EIGHT (8) GALLONS OF WATER. CEMENT GROUT SHALL BE COMPOSED OF NOT MORE THAN TWO (2) PARTS OF SAND AND ONE (1) PART OF CEMENT (PER BAG OF CEMENT) TO FIVE (5) TO EIGHT (8) GALLONS OF WATER.

- a.) NEAT CEMENT GROUT W/C = 0.53
- b.) CEMENT BENTONITE GROUT (5% BY WEIGHT OF CEMENT)

2. UPON SATISFACTORY COMPLETION OF A BORING, THE MEASUREMENT OF THE ZERO HOUR AND 2-HOUR GROUNDWATER LEVEL AS WELL AS THE BOTTOM DEPTH OF HOLE AT EACH READING, AND THE ACCEPTANCE THEREOF BY BCDOT, THE CONTRACTOR SHALL BE REQUIRED TO SEAL THE BORE HOLE. THE PURPOSES OF SEALING THE BORE HOLE ARE TO PREVENT POSSIBLE CONTAMINATION OF THE GROUNDWATER BY INFILTRATION FROM THE SURFACE AND TO CONFINE WATER WITHIN AN AQUIFER.



SEALING MATERIAL SHALL BE PLACED IN SUCH A WAY THAT THE ENTIRE HOLE IS COMPLETELY FILLED WITHOUT VOIDS AND THAT THE SEALING MATERIALS IS IN CLOSE CONTACT WITH THE SIDES OF THE HOLE. IN CAVING GROUND, THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING AN OPEN HOLE UNTIL THE 24-HOUR WATER TABLE IS OBTAINED AND THE SEALING MATERIAL IS PLACED. THE METHOD PROPOSED BY THE CONTRACTOR TO INTRODUCE SEALING MATERIAL INTO THE HOLE WILL BE SUBJECT TO APPROVAL BY BCDOT BEFORE SEALING BEGINS. ALL APPLICABLE RULES AND REGULATIONS OF LOCAL, STATE, AND FEDERAL AGENCIES PERTAINING TO PREVENTING CONTAMINATION OF GROUNDWATER SHALL BE OBSERVED.

3. MEASUREMENT OF THIS ITEM WILL BE ON A LINEAR FOOT BASIS AND WILL BE THE ACTUAL DISTANCE FROM THE GROUND SURFACE TO THE LOWEST ELEVATION PENETRATED. PAYMENT FOR THIS ITEM WILL BE MADE AT THE CONTRACT UNIT PRICE PER LINEAR FOOT FOR "SEALING BORE HOLES", WHICH PRICE SHALL INCLUDE ALL REMOVAL AND DISPOSAL OF EXCESS SOIL MATERIALS, LABOR, TOOLS, EQUIPMENT, AND ALL INCIDENTALS NECESSARY TO COMPLETE THIS ITEM AS SPECIFIED HEREIN AND/OR DIRECTED BY BCDOT.

4. BORING FILL TO BE BENTONITE SLURRY TO BE BELOW AGGREGATE BASE. MATERIAL ABOVE THE AGGREGATE BASE TO BE A DOT APPROVED MATERIAL TO FILL DEPTH OF EXISTING PAVEMENT; FOR RIGID PAVEMENTS - CONCRETE & FOR FLEXIBLE PAVEMENT/COMPOSITE PAVEMENT - AQUAPHALT.


	APPROVED: _____ DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION DIRECTOR, DEPARTMENT OF TRANSPORTATION	CITY OF BALTIMORE DEPARTMENT OF TRANSPORTATION TRANSPORTATION ENGINEERING AND CONSTRUCTION	ISSUED 06/2023	REVISED 	REVISED
	SEALING SOIL BORING & UTILITY TEST HOLES		STANDARD NO. BC 576.23		
			SCALE: NONE	SHEET 1 OF 1	

NOTE: USE ONE 5' SIDEWALK PANEL AS TRANSITION TO MEET EXISTING SIDEWALK.



* - H = HEIGHT OF CURB
ALL MEASUREMENTS IN INCHES

ELEVATION



SECTION A-A

NOTES

1. TO BE USED ON WIDE SIDEWALKS OR SIDEWALKS WITH SIGNIFICANT SEPARATION FROM THE ROADWAY WHERE THE GEOMETRY SPECIFIED IN THE DETAILS ABOVE CAN BE SATISFIED. MAY BE MODIFIED TO PARTICULAR LOCATION.
2. WHERE 60" SIDEWALK CAN NOT BE PROVIDED, A DESIGN WAIVER MUST BE REQUESTED.
3. NO TRAVERSABLE SLOPE ON THE RAMP OR SIDEWALK SHALL EXCEED 12:1 IN THE DIRECTION OF PEDESTRIAN TRAVEL, OR 48:1 PERPENDICULAR TO THE DIRECTION OF PEDESTRIAN TRAVEL.
4. EXPANSION JOINT MATERIAL SHALL BE INSTALLED IN ACCORDANCE WITH STD. BC 655.01.
5. SIDEWALK RAMPS TO BE SHOWN ON PLANS SYMBOLICALLY AND REFERENCED WITH THE CENTER OF THE RAMP ALIGNED TO A STATION ON THE CONSTRUCTION CENTERLINE. SEPARATE DETAILS SHALL BE SHOWN WHERE PROPOSED RAMP VARIES FROM STANDARD CASES.



APPROVED:

DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION

DIRECTOR, DEPARTMENT OF TRANSPORTATION

CITY OF BALTIMORE
DEPARTMENT OF TRANSPORTATION
TRANSPORTATION ENGINEERING AND CONSTRUCTION


SIDEWALK RAMPS PERPENDICULAR

ISSUED	REVISED	REVISED
8 / 2010	10 / 2013	03 / 2023


STANDARD NO.
BC 655.11

SCALE : NONE SHEET 1 OF 1

NOTE: USE ONE 5' SIDEWALK PANEL AS TRANSITION TO MEET EXISTING SIDEWALK




PLAN



ELEVATION

* - H = HEIGHT OF CURB
ALL MEASUREMENTS IN INCHES



SECTION A-A

NOTES

1. TO BE USED WHERE SIDEWALK IS ADJACENT TO THE CURB. THIS STD. MAY BE MODIFIED TO SUIT A PARTICULAR LOCATION.
2. WHERE 60" SIDEWALK CAN NOT BE PROVIDED, A DESIGN WAIVER MUST BE REQUESTED.
3. NO TRAVERSABLE SLOPE ON THE RAMP OR SIDEWALK SHALL EXCEED 12:1 IN THE DIRECTION OF PEDESTRIAN TRAVEL, OR 48:1 PERPENDICULAR TO THE DIRECTION OF PEDESTRIAN TRAVEL. THE CROSS-SLOPE OF LANDING AREA CANNOT EXCEED GARDE OF ROADWAY.
4. EXPANSION JOINT MATERIAL SHALL BE INSTALLED IN ACCORDANCE WITH STD. BC 655.01.
5. SIDEWALK RAMPS TO BE SHOWN ON PLANS SYMBOLICALLY AND REFERENCED WITH THE CENTER OF THE RAMP ALIGNED TO A STATION ON THE CONSTRUCTION CENTERLINE. SEPARATE DETAILS SHALL BE SHOWN WHERE PROPOSED RAMP VARIES FROM STANDARD CASES.



APPROVED :

DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION

DIRECTOR, DEPARTMENT OF TRANSPORTATION

**CITY OF BALTIMORE
DEPARTMENT OF TRANSPORTATION
TRANSPORTATION ENGINEERING AND
CONSTRUCTION**

**SIDEWALK RAMPS
PARALLEL**



ISSUED	REVISED	REVISED
8 / 2010	10 / 2013	03 / 2023

**STANDARD NO.
BC 655.12**


SCALE : NONE SHEET 1 OF 1

NOTE:

-USE ONE 5' SIDEWALK PANEL AS TRANSITION IF NEEDED TO MEET EXISTING SIDEWALK(15' MAX. REBUILD).



NOTE:
 -FOR BUFFER WIDTHS LESS THAN 24", WIDEN SIDEWALK TO BACK OF CURB AS SHOWN FOR THE SPECIAL CASE, THEN BUILD PARALLEL RAMP USING STANDARD BC-655.12.
 -IF THE BUFFER AREA IS GREATER THAN OR EQUAL TO 4' THE LANDING AREA MUST BE 2% X 2%. IF THE BUFFER AREA IS LESS THAN 4' THE LANDING AREA CROSS-SLOPE CANNOT EXCEED THE GRADE OF THE ROAD.



*H = HEIGHT OF CURB
 B = BUFFER WIDTH (BACK OF CURB TO FRONT OF SIDEWALK)
 T = TRANSITION LENGTH (LENGTH OF RAMP FROM SIDEWALK TO LANDING)
 $T = (12 \times H) - B$
 ALL MEASUREMENTS IN INCHES

NOTES

1. TO BE USED WHERE AT LEAST 7'-0" EXISTS BETWEEN THE BACK OF CURB AND THE BACK OF SIDEWALK. THIS STANDARD MAY BE MODIFIED TO SUIT A PARTICULAR LOCATION.
2. WHERE 60" SIDEWALK CAN NOT BE PROVIDED, A DESIGN WAIVER MUST BE REQUESTED.
3. NO TRAVERSABLE SLOPE ON THE RAMP OR SIDEWALK SHALL EXCEED 12:1 IN THE DIRECTION OF PEDESTRIAN TRAVEL, OR 48:1 PERPENDICULAR TO THE DIRECTION OF PEDESTRIAN TRAVEL.
4. EXPANSION JOINT MATERIAL SHALL BE INSTALLED IN ACCORDANCE WITH STD. BC 655.01.
5. SIDEWALK RAMPS TO BE SHOWN ON PLANS SYMBOLICALLY AND REFERENCED WITH THE CENTER OF THE RAMP ALIGNED TO A STATION ON THE CONSTRUCTION CENTERLINE. SEPARATE DETAILS SHALL BE SHOWN WHERE PROPOSED RAMP VARIES FROM STANDARD CASES.



APPROVED:


 DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION

 DIRECTOR, DEPARTMENT OF TRANSPORTATION


CITY OF BALTIMORE
DEPARTMENT OF TRANSPORTATION
TRANSPORTATION ENGINEERING AND CONSTRUCTION

SIDEWALK RAMPS COMBINATION


ISSUED	REVISED	REVISED
8 / 2010	10 / 2013	03 / 2023
STANDARD NO.		
BC 655.13		
SCALE : NONE	SHEET 1 OF 1	



PLAN




ELEVATION



SECTION A-A

NOTES

1. TO BE USED WHERE A STREET-LEVEL PEDESTRIAN CROSSING IS REQUIRED THROUGH RAISED MEDIANS OR RAISED ISLANDS AND THERE IS INSUFFICIENT WIDTH TO PROVIDE A RAMPED MEDIAN OR ISLAND OPENING (STD. BC 655.22).
2. WHERE 60" CUT THROUGHS CANNOT BE PROVIDED A DESIGN WAIVER MUST BE REQUESTED.
3. EXPANSION JOINT MATERIAL SHALL BE INSTALLED IN ACCORDANCE WITH STANDARD BC 655.01.
4. CUT-THROUGH MEDIAN AND ISLAND OPENINGS TO BE SHOWN ON PLANS SYMBOLICALLY AND REFERENCED WITH THE CENTER OF THE OPENING ALIGNED TO A STATION ON THE CONSTRUCTION CENTERLINE. SEPARATE DETAILS SHALL BE SHOWN WHERE PROPOSED OPENING VARIES FROM STANDARD METHODS.



APPROVED :


 DIVISION CHIEF, TRANSPORTATION ENGINEERING
 AND CONSTRUCTION

 DIRECTOR, DEPARTMENT OF TRANSPORTATION

CITY OF BALTIMORE
DEPARTMENT OF TRANSPORTATION
TRANSPORTATION ENGINEERING AND
CONSTRUCTION


CUT-THROUGH
MEDIAN AND ISLAND OPENINGS

ISSUED	REVISED	REVISED
8 / 2010	10 / 2013	03 / 2023
STANDARD NO. BC 655.21		
SCALE : NONE	SHEET 1 OF 1	




* H = HEIGHT OF CURB
ALL MEASUREMENTS IN INCHES

PLAN



ELEVATION



SECTION A-A

NOTES

1. TO BE USED WHERE A PEDESTRIAN ACCESS ROUTE CROSSES RAISED MEDIANS OR RAISED ISLANDS AND THERE IS SUFFICIENT WIDTH TO SATISFY THE GEOMETRY OUTLINED IN THIS STANDARD.
2. EXPANSION JOINT MATERIAL SHALL BE INSTALLED IN ACCORDANCE WITH STANDARD BC 655.01.
3. RAMPED MEDIAN AND ISLAND OPENINGS TO BE SHOWN ON PLANS SYMBOLICALLY AND REFERENCED WITH THE CENTER OF THE OPENING ALIGNED TO A STATION ON THE CONSTRUCTION CENTERLINE. SEPARATE DETAILS SHALL BE SHOWN WHERE PROPOSED OPENING VARIES FROM STANDARD METHODS.
4. WHERE 60" OPENINGS CANNOT BE USED A DESIGN WAIVER MUST BE REQUESTED.



APPROVED:

DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION

DIRECTOR, DEPARTMENT OF TRANSPORTATION

**CITY OF BALTIMORE
DEPARTMENT OF TRANSPORTATION
TRANSPORTATION ENGINEERING AND
CONSTRUCTION**

**RAMPED
MEDIAN AND ISLAND OPENINGS**


ISSUED	REVISED	REVISED
8 / 2010	10 / 2013	03 / 2023

**STANDARD NO.
BC 655.22**


SCALE : NONE | SHEET 1 OF 1

DETAILS FOR DETECTABLE WARNING SURFACE

SEE PLACEMENT GUIDELINES BELOW




DOMES SPACING




DOMES SECTION


PLACEMENT GUIDELINES



SHARED CURB RAMP



REFUGE ISLAND



BLENDED CURB

WHERE ISLANDS OR MEDIANS ARE LESS THAN 6 FEET WIDE, THE DETECTABLE WARNING SURFACE SHOULD EXTEND ACROSS THE FULL LENGTH OF THE CUT THROUGH THE ISLAND OR MEDIAN

NOTES

1. THE DETECTABLE WARNING SURFACE SHALL BE LOCATED SO THAT THE EDGE NEAREST THE CURB LINE IS 6 TO 8 INCHES FROM THE FACE OF CURB.
2. FOR SKEWED APPLICATIONS DETECTABLE WARNING SURFACE SHALL BE PLACED SO THAT THE DOMES CLOSEST TO THE BACK OF CURB ARE NO LESS THAN 0.5" AND NO MORE THAN 3.0" FROM THE BACK OF CURB. TRUNCATED DOME SURFACES SHALL BE FABRICATED TO PROVIDE FULL DOMES ONLY.
3. DETECTABLE WARNING SURFACES ARE REQUIRED AT STREET CROSSING ALLEY & SIGNALIZED INTERSECTIONS.



APPROVED :

DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION

DIRECTOR, DEPARTMENT OF TRANSPORTATION

**CITY OF BALTIMORE
DEPARTMENT OF TRANSPORTATION
TRANSPORTATION ENGINEERING AND
CONSTRUCTION**

DETECTABLE WARNING SURFACES

ISSUED	REVISED	REVISED
8 / 2010	03 / 2023	

**STANDARD NO.
BC 655.40**

SCALE : NONE

SHEET 1 OF 1

STEEL SCHEDULE

MARK	SIZE	LENGTH	NO. OF PIECES
A	9	13'-0"	8
B	6	5'-9"	4
C	6	5'-2"	4
D	6	4'-10"	6
E	6	7'-0"	14
F	9	7'-0"	6
G	6	2'-9"	4
H	6	2'-2"	4
I	6	1'-10"	6
J	5	4'-8"	8
K	6	13'-0"	12
L	6	5'-6"	8
M	6	7'-0"	12
N	7	7'-0"	12
O	6	2'-6"	8
P	5	6'-0"	120
Q	6	7'-0"	28
Q	6	7'-0"	32
Q	6	7'-0"	36
R *	5	7'-4"	48
R **	5	8'-4"	48
R ***	5	9'-4"	144
S *	6	13'-0"	28
S **	6	13'-0"	32
S ***	6	13'-0"	72
T	5	3'-2"	8

- * 7 FT HEADROOM
- ** 8 FT HEADROOM
- *** 9 FT HEADROOM

NOTES:

THIS MANHOLE WAS DESIGNED IN ACCORDANCE WITH A.A.S.H.T.O. STANDARD SPECIFICATIONS FOR HIGHWAY BRIDGES DATED 1996, INCLUDING ALL INTERIM SPECIFICATIONS THROUGH 2002. ALL MATERIALS AND CONSTRUCTION SHALL CONFORM TO BALTIMORE CITY STANDARDS.

LOADING: HS25 TRUCK LOADING

MATERIALS

CONCRETE:

4,000 PSI COMPRESSIVE STRENGTH AFTER 28 DAYS.

CONCRETE DESIGN: SERVICE LOAD DESIGN METHOD - $f' = 1,600$ PSI.


STEEL

60,000 PSI YIELD STRENGTH - GRADE 60

REINFORCING STEEL DESIGN - $f = 24,000$ PSI

REINFORCING STEEL IN THE ROOF SLAB SHALL BE EPOXY COATED


A THRU N




BAR SUPPORTS

(A) 1 1/2 - BC - A

(B) # 3 REINFORCING BARS
INSTALL AT RANDOM
LOCATIONS, AS NEEDED.



(C) PULLING IRONS SHALL BE INSTALLED AT THE JUNCTION OF THE FLOOR AND WALL AND WALL AND ROOF. LOCATION OF PULLING IRONS TO BE CENTERED ON END WALLS AND OPPOSITE DUCT BANKS, OR KNOCK - OUTS ON SIDE WALLS.



APPROVED:

Ola Olamide

CHIEF, CONDUIT DIVISION

DIRECTOR, DEPARTMENT OF TRANSPORTATION

**CITY OF BALTIMORE
DEPARTMENT OF TRANSPORTATION
CONDUIT DIVISION**


**STEEL DETAILS FOR
6 FT x 12 FT LINE MANHOLE**

ISSUED	REVISED	REVISED
7 / 2023		

**STANDARD NO.
BC 825.01**


SCALE : NONE

SHEET 1 OF 1



TOP OF COVER A-1

BOTTOM OF COVER A-1



SECTION A-A

GRAY IRON A48-No. 30B

NOTE:

FOR TRANSIT AND TRAFFIC MANHOLE
COVERS CHANGE THE LETTERS DOT TO DTT

NOTE:

AVERAGE WEIGHT OF MANHOLE
COVER - APPROX. 323 LBS.



APPROVED:

Ola Olamide
CHIEF, CONDUIT DIVISION

DIRECTOR, DEPARTMENT OF TRANSPORTATION

CITY OF BALTIMORE
DEPARTMENT OF TRANSPORTATION
CONDUIT DIVISION


**MANHOLE - CONDUIT
STANDARD 36" COVER**

ISSUED	REVISED	REVISED
7 / 2023		


**STANDARD NO.
BC 825.12-01**

SCALE : NONE

SHEET 1 OF 1



PLAN OF CASTING A-2



SECTION A-A

AVERAGE WEIGHT OF CASTING A-2 - 350 LBS.



APPROVED :

Ola Olamide
CHIEF, CONDUIT DIVISION

DIRECTOR, DEPARTMENT OF TRANSPORTATION

CITY OF BALTIMORE
DEPARTMENT OF TRANSPORTATION
CONDUIT DIVISION


**MANHOLE - CONDUIT
STANDARD 36" FRAME**

ISSUED	REVISED	REVISED
7 / 2023		

STANDARD NO.
BC 825.12-02


SCALE : NONE

SHEET 1 OF 1



PLAN OF CASTING A-2

DELETE THIS DETAIL



SECTION A-A

AVERAGE WEIGHT OF CASTING A-2 - 350 LBS.



APPROVED:

Richard L. Baker
CHIEF, CONDUIT DIVISION

Khali Zaeed
DIRECTOR, DEPARTMENT OF TRANSPORTATION


CITY OF BALTIMORE
DEPARTMENT OF TRANSPORTATION
CONDUIT DIVISION

MANHOLE - CONDUIT
STANDARD FRAME


ISSUED	REVISED	REVISED
8 / 2010		

STANDARD NO.
BC 825.13


SCALE : NONE SHEET 1 OF 1



TOP OF COVER



BOTTOM OF COVER



SECTION A-A

NOTES:

1. MANHOLE COVER TO BE TRAFFIC RATED AASHTO M306.
2. MANHOLE SHALL BE GRAY IRON ASTM A48- CLASS 308 MIN.
3. COVER BOTTOM SHALL BE EITHER:
 - A. INTERNAL WEBBING/RIBBING. OR
 - B. FLAT PLATE BOTTOM WITH A MINIMUM OF 3 CLIPS TO ALLOW FOR STACKING/STORAGE OF COVERS
4. (4) PICK HOLES. HOLES CAN BE LOCATED IN THE EXTERIOR FLANGE OR WITHIN THE FLAT PLATE BOTTOM.
5. PICK HOLE DIAMETER SHALL BE 7/8" OR 1".
6. PROVIDE MATCHING CHAMFER TAPER BETWEEN CONDUIT MANHOLE FRAME AND COVER.
7. FOR TRANSIT AND TRAFFIC MANHOLES COVERS CHANGE THE LETTERS DOT TO DTT.




APPROVED :
Ola Olamide
 CHIEF, CONDUIT DIVISION
 DIRECTOR, DEPARTMENT OF TRANSPORTATION

CITY OF BALTIMORE
 DEPARTMENT OF TRANSPORTATION
 CONDUIT DIVISION


**MANHOLE - CONDUIT
 STANDARD 37" COVER**

ISSUED	REVISED	REVISED
7 / 2023		

STANDARD NO.
 BC 825.14-01
 SCALE : NONE SHEET 1 OF 1



PLAN OF CASTING FRAME



SECTION A-A

NOTES:

1. MANHOLE COVER TO BE TRAFFIC RATED AASHTO M306.
2. MANHOLE SHALL BE GRAY IRON ASTM A48 - CLASS 30B MIN.
3. PROVIDE CHUCKING AREA AND HANDLING HOLES AS PER THE MANUFACTURERS DETAIL.
4. PROVIDE 37 1/4" DIAMETER FOR FRAMES PAIRED WITH STANDARD 37" DOT CONDUIT MANHOLE COVER, BC 825.14-01.



APPROVED :

Ola Olamide
CHIEF, CONDUIT DIVISION

DIRECTOR, DEPARTMENT OF TRANSPORTATION

CITY OF BALTIMORE
DEPARTMENT OF TRANSPORTATION
CONDUIT DIVISION


**MANHOLE - CONDUIT
STANDARD 37" FRAME**

ISSUED	REVISED	REVISED
7 / 2023		


**STANDARD NO.
BC 825.13-02**

SCALE : NONE


SHEET 1 OF 1



PLAN - TOP HALF



SECTION 1-1



SECTION 2-2

BOTTOM HALF (6' x 12' x 7' MANHOLE) SEE BC 826.01-2
 BAR SCHEDULE (6' x 12' x 7' MANHOLE) SEE BC 826.04
 KNOCKOUT DETAILS SEE BC 826.05
 INSERTS FOR RECESSED EXTENSION SEE BC 826.06
 ACCESSORIES FOR PRECAST MANHOLES SEE BC 826.08
 STANDARD ACCESS STACK SEE BC 825.11
 PRECAST RECESSED EXTENSION SEE BC 826.07-1

GENERAL NOTES


SPECIFICATIONS-----LATEST DEPARTMENT OF GENERAL SERVICES
 CONCRETE-----f'c = 5,000 PSI - MIX AS APPROVED BY ENGR.
 REINFORCING-----ASTM A615, GRADE 60
 WELDED WIRE MESH---ASTM A185
 LOADING-----HS 25 TRUCK LOADING




APPROVED:
Ola Olamide
 CHIEF, CONDUIT DIVISION
 DIRECTOR, DEPARTMENT OF TRANSPORTATION

CITY OF BALTIMORE
 DEPARTMENT OF TRANSPORTATION
 CONDUIT DIVISION
**PRECAST LINE MANHOLE
 6' x 12' x 7' HEADROOM
 TOP HALF**


ISSUED	REVISED	REVISED
7 / 2023		
STANDARD NO. BC 826.01-1		
SCALE: NONE	SHEET 1 OF 2	



PLAN - BOTTOM HALF



SECTION 1-1



SECTION 2-2

TOP HALF (6' x 12' x 7' MANHOLE) SEE BC 826.01-1
 BAR SCHEDULE (6' x 12' x 7' MANHOLE) SEE BC 826.04
 KNOCKOUT DETAILS SEE BC 826.05
 INSERTS FOR RECESSED EXTENSION SEE BC 826.06
 ACCESSORIES FOR PRECAST MANHOLES SEE BC 826.08
 STANDARD ACCESS STACK SEE BC 825.11
 PRECAST RECESSED EXTENSION SEE BC 826.07-7

GENERAL NOTES

SPECIFICATIONS-----LATEST DEPARTMENT OF GENERAL SERVICES
 CONCRETE ----- $f'_c = 5,000$ PSI - MIX AS APPROVED BY ENGR.
 REINFORCING ----- ASTM A615, GRADE 60
 WELDED WIRE MESH--- ASTM A185
 LOADING ----- HS 25 TRUCK LOADING




APPROVED:
Ola Olamide
 CHIEF, CONDUIT DIVISION
 DIRECTOR, DEPARTMENT OF TRANSPORTATION


CITY OF BALTIMORE
 DEPARTMENT OF TRANSPORTATION
 CONDUIT DIVISION

PRECAST LINE MANHOLE
 6' x 12' x 7' HEADROOM
 BOTTOM HALF


ISSUED	REVISED	REVISED
7 / 2023		
STANDARD NO. BC 826.01-2		
SCALE: NONE	SHEET 2 OF 2	



PLAN - TOP HALF



SECTION 1-1



SECTION 2-2

JOINT DETAIL
SEE BC 826.08

BOTTOM HALF (6' x 12' x 8' MANHOLE) SEE BC 826.02-2
 BAR SCHEDULE (6' x 12' x 8' MANHOLE) SEE BC 826.04
 KNOCKOUT DETAILS SEE BC 826.05
 INSERTS FOR RECESSED EXTENSION SEE BC 826.06
 ACCESSORIES FOR PRECAST MANHOLES SEE BC 826.08
 STANDARD ACCESS STACK SEE BC 825.11
 PRECAST RECESSED EXTENSION SEE BC 826.07-1

GENERAL NOTES

SPECIFICATIONS ----- LATEST DEPARTMENT OF GENERAL SERVICES
 CONCRETE ----- $f'_c = 5000$ PSI - MIX AS APPROVED BY ENGR.
 REINFORCING ----- ASTM A615, GRADE 60
 WELDED WIRE MESH -- ASTM A185
 LOADING ----- HS 25 TRUCK LOADING



APPROVED:
Ola Olamide
 CHIEF, CONDUIT DIVISION
 DIRECTOR, DEPARTMENT OF TRANSPORTATION


CITY OF BALTIMORE
 DEPARTMENT OF TRANSPORTATION
 CONDUIT DIVISION

PRECAST LINE MANHOLE
 6' X 12' X 8' HEADROOM
 TOP HALF


ISSUED	REVISED	REVISED
7 / 2023		

STANDARD NO.
 BC 826-02-1


SCALE : NONE SHEET 1 OF 2



PLAN - BOTTOM HALF



SECTION 1-1



SECTION 2-2

TOP HALF (6' x 12' x 8' MANHOLE) SEE BC 826.02-1
 BAR SCHEDULE (6' x 12' x 8' MANHOLE) SEE BC 826.04
 KNOCKOUT DETAILS SEE BC 826.05
 INSERTS FOR RECESSED EXTENSION SEE BC 826.06
 ACCESSORIES FOR PRECAST MANHOLES SEE BC 826.08
 STANDARD ACCESS STACK SEE BC 825.11
 PRECAST RECESSED EXTENSION SEE BC 826.07-1

GENERAL NOTES

SPECIFICATIONS-----LATEST DEPARTMENT OF GENERAL SERVICES
 CONCRETE-----f'c = 5,000 PSI - MIX AS APPROVED BY ENGR.
 REINFORCING-----ASTM A615, GRADE 60
 WELDED WIRE MESH---ASTM A185
 LOADING-----HS 25 TRUCK LOADING




APPROVED:
Ola Olamide
 CHIEF, CONDUIT DIVISION
 DIRECTOR, DEPARTMENT OF TRANSPORTATION


CITY OF BALTIMORE
 DEPARTMENT OF TRANSPORTATION
 CONDUIT DIVISION

PRECAST LINE MANHOLE
 6' x 12' x 8' HEADROOM
 BOTTOM HALF


ISSUED	REVISED	REVISED
7 / 2023		
STANDARD NO. BC 826.02-2		
SCALE: NONE	SHEET 2 OF 2	



PLAN - TOP HALF



SECTION 1-1



SECTION 2-2

JOINT DETAIL
SEE BC 826.08

BOTTOM HALF (6' x 12' x 9' MANHOLE) SEE BC 826.03-2
 BAR SCHEDULE (6' x 12' x 9' MANHOLE) SEE BC 826.06
 KNOCKOUT DETAILS SEE BC 826.05
 INSERTS FOR RECESSED EXTENSION SEE BC 826.06
 ACCESSORIES FOR PRECAST MANHOLES SEE BC 826.08
 STANDARD ACCESS STACK SEE BC 825.11
 PRECAST RECESSED EXTENSION SEE BC 826.07-1

GENERAL NOTES


SPECIFICATIONS ----- LATEST DEPARTMENT OF GENERAL SERVICES
 CONCRETE ----- f'c = 5000 PSI - MIX AS APPROVED BY ENGR.
 REINFORCING ----- ASTM A615, GRADE 60
 WELDED WIRE MESH -- ASTM A185
 LOADING ----- HS 25 TRUCK LOADING




APPROVED:
Ola Olamide
 CHIEF, CONDUIT DIVISION
 DIRECTOR, DEPARTMENT OF TRANSPORTATION

CITY OF BALTIMORE
 DEPARTMENT OF TRANSPORTATION
 CONDUIT DIVISION
**PRECAST LINE MANHOLE
 6' X 12' X 9' HEADROOM
 TOP HALF**


ISSUED	REVISED	REVISED
7 / 2023		
STANDARD NO. BC 826.03-1		
SCALE: NONE	SHEET 1 OF 2	



PLAN - BOTTOM HALF



SECTION 1-1



SECTION 2-2

TOP HALF (6' x 12' x 9' MANHOLE) SEE BC 826.03-1
 BAR SCHEDULE (6' x 12' x 9' MANHOLE) SEE BC 826.04
 KNOCKOUT DETAILS SEE BC 826.05
 INSERTS FOR RECESSED EXTENSION SEE BC 826.06
 ACCESSORIES FOR PRECAST MANHOLES SEE BC 826.08
 STANDARD ACCESS STACK SEE BC 825.11
 PRECAST RECESSED EXTENSION SEE BC 826.07-1

GENERAL NOTES

SPECIFICATIONS ----- LATEST DEPARTMENT OF GENERAL SERVICES
 CONCRETE ----- f'c = 5000 PSI - MIX AS APPROVED BY ENGR.
 REINFORCING ----- ASTM A615, GRADE 60
 WELDED WIRE MESH -- ASTM A185
 LOADING ----- HS 25 TRUCK LOADING



APPROVED:
Ola Olamide
 CHIEF, CONDUIT DIVISION
 DIRECTOR, DEPARTMENT OF TRANSPORTATION

CITY OF BALTIMORE
 DEPARTMENT OF TRANSPORTATION
 CONDUIT DIVISION
**PRECAST LINE MANHOLE
 6' x 12' x 9' HEADROOM
 BOTTOM HALF**

ISSUED	REVISED	REVISED
7 / 2023		
STANDARD NO. BC 826.03-2		
SCALE: NONE	SHEET 2 OF 2	